TEXAS INSTRUMENTS PROGRAMMABLE



© 2010 Joerg Woerner

Datamath Calculator Museum

Use this list it you mow the function you want to perform our you need a reminder of the key sequence. The page reference tells where to find additional information about the function. This list includes scientific-calculator functions only.

TEXAS INSTRUMENTS

71-95
USER'S
GUIDE

Manual developed by:

The staff of Texas Instruments
Instructional Communications and Of
Design Communications
TI Corporate Design Center

Jacquelyn F. Quiram Joseph L. Willard Michael T. Keller Chris M. Alley Kenneth E. Heichelheim De Warden

With contributions by:

Robert A. Pollan Linda Ferrio Robert E. Whitsitt, II

Function Reference

Use this list if you know the function you want to perform but you need a reminder of the key sequence. The page reference tells where to find additional information about the function. This list includes scientific-calculator functions only; programming functions are discussed in the TI-95 Programming Guide.

| General Functions | Key Sequence | Page |
|----------------------------|-------------------|------|
| Set calculator defaults | HELP (YES) | 1-14 |
| Clear calculator | CLEAR | 2-9 |
| Clearentry | CE | 2-9 |
| Change sign | +/- | 2-8 |
| Clear function labels | 2nd [F:CLR] | 2-9 |
| List registers | LIST n (REG) | 5-12 |
| List status | LIST (ST) | 5-13 |
| Math Functions | | |
| Equals | = | 2-3 |
| Parentheses | (and) | 2-6 |
| Addition | x + y | 2-16 |
| Subtraction | x = y | 2-16 |
| Multiplication | x×y | 2-16 |
| Division O 2010 J | oe x y oemer y | 2-16 |
| Reciprocal Datamath Ca | X 1/x | 2-17 |
| Square | X X2 | 2-17 |
| Square root | x Vx | 2-17 |
| Power | y yx x | 2-18 |
| Root | y INV yx x | 2-19 |
| Factorial | x 2nd [x!] | 2-24 |
| Permutations | n x~t r 2nd [nPr] | 2-25 |
| Combinations | n x~t r 2nd [nCr] | 2-25 |
| Logarithm (natural) | x LN | 2-26 |
| Logarithm (common) | x LOG | 2-26 |
| ex Antilogarithm (natural) | x INV LN | 2-26 |
| 10x Antilogarithm (common) | x INV LOG | 2-26 |
| Quadratic roots | FUNC (QAD) | 2-35 |
| Cubic roots | FUNC (CUB) | 2-37 |
| rigonometric Functions | | |
| Pi | 2nd [π] | 2-8 |
| Select angle units | 2nd [DRG] | 2-20 |
| Sine | x SIN | 2-20 |
| Cosine | x COS | 2-20 |
| Γangent | x TAN | 2-20 |
| Arcsine | X INV SIN | 2-20 |
| Arccosine | x INV COS | 2-20 |
| Arctangent | x INV TAN | 2-20 |

(continued)

| elion | ohesin |
|--|---|
| Key Sequence | Page |
| X HYP SIN | 2-22 |
| X HYP COS | 2-22 |
| | 2-22 |
| | 2-22 |
| X INV HYP COS | 2-22 |
| X INV HYP TAN | 2-22 |
| Displayed Values venius | |
| NUM x (INT) | 2-28 |
| NUM x (FRC) | 2-28 |
| NUM x INV (R#) | 2-33 |
| NUM (R#) | 2-33 |
| NUM x (RND) | 2-29 |
| NUM x (SGN) | 2-32 |
| NUM x1 x~t x2 (LCM) | 2-31 |
| NUM x1 x~t x2 (LCM) x~t | 2-31 |
| | 2-30 |
| NUM x (ABS) | 2-32 |
| Trigonometric Operation | |
| STAT (CLR) (CS1) | 3-4 |
| | 3-5 |
| | 3-5 |
| | 3-5 |
| STAT n (FRQ) x INV [X+] | 3-5 |
| | 3-4 |
| | 3-10 |
| | 3-10 |
| | 3-10 |
| STAT n (FRQ) x x~t y INV \(\Sigma + \) | 3-10 |
| r 3: Location of the Statistics | etgani |
| The Statistics Key 13 | 2-12 |
| the state of the s | 2-12 |
| | 2-12 |
| | 2-12 |
| The second secon | 2-14 |
| | 2-14 |
| | X HYP SIN X HYP COS X HYP TAN X INV HYP SIN X INV HYP COS X INV HYP TAN NUM X (INT) NUM X (FRC) NUM X INV (R#) NUM X (RND) NUM X (SGN) NUM X X X X X X X X X X X X X X X X X X X |

| Conversion Functions | Key Sequence | Page |
|-------------------------|---|-------|
| Metric conversions | CONV (MET) | 4-4 |
| DMS to decimal degrees | CONV D.MMSSsssss (DMS) | 4-6 |
| Decimal degrees to DMS | CONV D.ddddddddd INV (DMS) | 4-6 |
| Polar to rectangular | CONV r $x \sim t \theta \langle P-R \rangle x \sim t$ | 4-10 |
| Rectangular to polar | CONV x x~t y INV (P-R) x~t | 4-10 |
| Angle conversions | CONV (ANG) | 4-8 |
| Decimal mode | CONV (BAS) (DEC) | 4-13 |
| Hexadecimal mode | CONV (BAS) (HEX) | 4-13 |
| Octal mode | CONV (BAS) (OCT) | 4-13 |
| Two's complement mode | CONV (BAS) (2sC) | 4-14 |
| Signed mode | CONV (BAS) INV (2sC) | 4-14 |
| Memory Functions © 2010 | Joerg Woerner | |
| Clear memories | 2nd [CMS] | 5-4 |
| Store number Datamath | x STO nnn or X | 5-5 |
| Recall number | x RCL nnn or X | 5-5 |
| Exchange number | x EXC nnn or X | 5-11 |
| Register addition | x STO + nnn or X | 5-8 |
| Register subtraction | x STO - nnn or X | 5-8 |
| Register multiplication | x STO × nnn or X | 5-8 |
| Register division | x STO + nnn or X | 5-8 |
| Increment | INCR nnn or X | 5-10 |
| Decrement | INV INCR nnn or X | 5-10 |
| Swap t-register | x∿t | 5-7 |
| Printer Operations | | 4 2 3 |
| Print display | 2nd [PRINT] | 6-6 |
| Advance paper | 2nd [ADV] | 6-6 |
| Set device number | VO (PRT) (DEV) nnn | 6-4 |
| Set line width | VO ⟨PRT⟩ ⟨WID⟩ nn | 6-5 |
| Set word break on | VO (PRT) (WB) | 6-5 |
| Set word break off | VO (PRT) INV (WB) | 6-5 |
| Set trace mode on | 2nd [TRACE] | 6-7 |
| Set trace mode off | INV 2nd [TRACE] | 6-7 |
| | | |

DATAMATH CALCULATOR MUSEUM

IMPORTANT

Record the serial number and date of purchase of the TI-95 in the space below. The serial number is identified by the abbreviation "NO." on the bottom case. Always refer to this information in any correspondence regarding your TI-95.

TI-95 Programmable Model

Serial No.

Purchase Date

The following diagram shows page numbers you can reference for information about each calculator key discussed in this guide. The keys with no references are discussed in the TI-95 Programming Guide.




Table of Contents

This guide contains information to help you use the scientific calculator functions of the TI-95. Programming functions of the calculator are described in the TI-95 Programming Guide.

| Introduction | | vi |
|------------------------|---|------|
| FCC Information | | |
| rcc information | | |
| Chapter 1: | Installing the Batteries | 1-2 |
| Getting Started | Turning the Calculator On | 1-4 |
| 22-2 | The Display | 1-6 |
| | The Keyboard | |
| | Using System Menus | |
| | Using the Help Function | 1-14 |
| | Displayed Values versus Internal Storage | 1-16 |
| Chapter 2: | Location of the Math Keys | 2-2 |
| Math Operations | AOS TM Algebraic Operating System | 2-3 |
| matir operations | Using Parentheses to Override AOS | 2-6 |
| | Entering Data | 2-8 |
| | | |
| | Correcting Entry Errors | 2 10 |
| | Selecting the Format of Displayed Values | |
| | Entering Numbers in Scientific Notation | |
| | Arithmetic Operations | |
| | Reciprocals, Squares, and Square Roots | 2-17 |
| | Universal Powers and Roots | 2-18 |
| | Trigonometric Operations | 2-20 |
| | Hyperbolic Operations | 2-22 |
| | Factorials, Permutations, and Combinations | |
| | Logarithms | |
| | Numeric Functions | |
| | Integer Portion, Fractional Portion, and Rounding | 2-28 |
| | Prime Factors | 2-30 |
| | Common Multiples and Divisors | 2-31 |
| | Absolute and Signum Functions | 2-32 |
| | Random Numbers | 2-33 |
| | Extended Functions | 2-34 |
| | Quadratic Equations | 2-35 |
| | Cubic Equations | |
| Chapter 3: | Location of the Statistics Keys | 3-2 |
| Statistics | The Statistics Keys | |
| Operations | Starting a New Statistics Problem | 3-4 |
| 21-2 | Entering and Removing 1-Variable Data | 3-5 |
| | Performing 1-Variable Statistics Calculations | 3-6 |
| | Example of 1-Variable Statistics | 3-8 |
| | Entering and Removing 2-Variable Data | 3-10 |
| | ther tiped attach 81 | |

| Chapter 3: | Performing 2-Variable Statistics Calculations | 3-11 |
|--------------------|---|------|
| Statistics | Example of 2-Variable Statistics | 3-13 |
| Operations | Linear Regression | 3-14 |
| (Continued) | Trend-Line Analysis | 3-16 |
| | | |
| Chapter 4: | Location of the Conversion Keys | 4-2 |
| Conversions | Using the CONV Key | 4-3 |
| | Metric Conversions | 4-4 |
| The Lands Sur E.S. | Degree Format Conversions | |
| | Angle Conversions | |
| | Polar/Rectangular Conversions | 4-10 |
| | Base Conversions | 4-12 |
| | | 100 |
| Chapter 5: | Location of the Memory Keys | 5-2 |
| Memory | Introduction | |
| Operations | Clearing Data Registers | 5-4 |
| | Storing and Recalling Data | 5-5 |
| | Addressing Methods | |
| | Addressing Methods The t-Register | 5-7 |
| | Memory Arithmetic | 5-8 |
| | Incrementing and Decrementing a Register | 5-10 |
| | Exchanging Values | |
| | Listing | 5-11 |
| | Listing | 9-12 |
| Chapter 6: | Location of the Printer Operation Keys | 6-2 |
| Using an | Printer Menus | 6-3 |
| Optional | Printer Device Numbers | |
| Printer | Sotting the Drinter Format | 6-4 |
| Litter - H. Burst | Setting the Printer Format | 6-5 |
| | General Printer Operation | 6-6 |
| | Printing Lists | 6-8 |
| Appendix A: | System Parameter Settings | 4.0 |
| Reference | System Parameter Settings | A-2 |
| Information | System menus | A-4 |
| miormation | Accuracy Information | A-8 |
| | Number Limits | A-10 |
| | muex | A-11 |
| Annandly Dr | most often used features of the TI-06. | - |
| Appendix B: | General Difficulties | B-2 |
| in Case of | Error Messages | B-4 |
| Difficulty nobs | Service Information | B-10 |
| | One-Year Limited Warranty | B-12 |

The TI-95 is an advanced programmable calculator that comes with two instructional manuals and a guick reference card.

What Your Package Includes

TI-95

Batteries

Card

Manuals

The following items are contained in the TI-95 package.



TI-95 Calculator-An advanced programmable calculator with 8K bytes of built-in memory.

User's Guide—An instructional guide to using the TI-95 as a scientific calculator.

Programming Guide-An instructional guide to using the programming features of the calculator.


Quick Reference Card-A two-sided card, stored in the case lid, containing condensed information about the most often used features of the TI-95.

Batteries-Four AAA batteries that provide the calculator with at least 100 hours of operation.

Carrying Case-A sturdy case to provide protection for your calculator.

Parts of the TI-95

The parts of the TI–95 calculator are illustrated below.



Rear View

| Part | Description |
|---------------------|---|
| Contrast control | Allows you to adjust the display for various lighting conditions. |
| Peripheral port | Provides a connection for your external peripherals. |
| Battery compartment | Holds batteries that provide power for the TI-95. |
| Cartridge port | Provides a connection for a software (ROM) or memory (RAM) cartridge. |

Note: The TI-95 comes with a port protector, labeled "ROM/RAM," in the cartridge port. The port protector does not contain any memory or programs; it is installed to protect the port from dust. Keep the port protector or a cartridge in the port at all times.

(continued)

The TI-95 combines the features of a scientific calculator and a programmable calculator. In addition to the many built-in features, it provides the capability to add other optional accessories that will expand your calculator into a complete system.

Features of the TI-95

The following features are built into the TI-95:

- ► The Algebraic Operating System (AOSTM) feature directs the sequence of mathematical operations performed by the calculator. Most mathematical expressions can be entered into the calculator in a simple, straightforward sequence.
- ► The Constant Memory™ feature saves all information stored in memory even when the calculator is turned off.
- Memory file space enables you to save programs for future use.
- The alphanumeric display permits the display of prompts, program instructions, function-key labels, and descriptive error messages.
- Five redefinable function keys give you access to a variety of functions available on the calculator. The programs you write can also utilize this feature.
- Calculations can be in decimal, hexadecimal, or octal number base. You can also convert a number in one base to either of the other two.
- Special functions enable you to perform one- and two-variable statistics; metric, number base, polar/rectangular, and angle conversions; prime factors; common multiples and divisors; and cubic and quadratic equation roots.

Optional Accessories

The built-in features of your calculator enable you to perform most tasks. You can also obtain several optional accessories, shown below, from your dealer to expand it to a complete system with even greater capabilities. If you are unable to purchase these from your local dealer, you may order them from Texas Instruments. Please call Consumer Relations for information.



- ► 8K Constant MemoryTM cartridge—Inserts into the cartridge port to expand the file space available to store your programs.
- PC-324 Printer—Enables you to obtain a paper copy of your programs, data, and results.
- CI-7 Cassette Interface Cable—Connects an optional cassette recorder to your calculator. Lets you store programs and data on tape.
- Application cartridge—Inserts into the cartridge port to provide additional capability for specific applications, such as statistics and mathematics, that are beyond the built-in capability of your calculator.

FCC Information Concerning Radio Frequency Interference

The TI-95 calculator generates and uses radio frequency energy. If not used properly, as described in this guide, the calculator may cause interference to radio and television reception.

The TI-95 has been tested and found to comply with the limits for a Class B computing device in accordance with the specifications in Sub-part J of Part 15 of Federal Communications Commission (FCC) Rules, which are designed to provide reasonable protection against radio/TV interference in a residential installation. However, there is no guarantee that interference will not occur in a particular installation.

If the TI-95 causes interference, which you can determine by turning it off and on, try to correct the interference by one or more of the following measures:

- Reorient the receiving antenna for the radio or TV that is receiving interference.
- ► Change the position of the calculator or move it away from the radio or TV that is receiving interference.
- ► If you are using the optional PC-324 printer and adapter with the TI-95, plug it into a different wall outlet so that the calculator and the equipment receiving interference are on different branch circuits.

If these measures do not eliminate the interference, please consult your dealer or an experienced radio/TV technician for additional suggestions. The FCC has prepared a helpful booklet, *How to Identify and Resolve Radio-TV Interference Problems*. Please specify Stock Number 004–000–00345–4 when ordering this booklet from:

The US Government Printing Office Washington, D.C. 20402

Chapter 1: Getting Started

This chapter introduces you to the TI-95 and gives you some basic information to help you use your calculator. It also helps you to interpret the parts of the display and to use the keyboard.

| Table of Contents | Installing the Batteries | -2 |
|-------------------|---|-----|
| | Turning the Calculator On and Off | |
| | The Display 1 | -6 |
| | The Keyboard 1- | -10 |
| | Using System Menus 1- | -12 |
| | Using the Help Function 1- | -14 |
| | Displayed Values versus Internal Storage 1- | -16 |


Four AAA batteries supply the power for your TI-95 calculator for about 100 hours of operation. The calculator cannot retain data if these batteries become discharged or are removed for several minutes.

Procedure

The following procedure is used to install the batteries in your TI-95 calculator.

Note: To avoid loss of data in memory, save data in a cartridge or cassette before removing old batteries.

- 1. Press the OFF key.
- 2. Open the battery compartment by sliding the cover as shown.



Procedure 3. Install the batteries as shown. Be sure each battery is (Continued) positioned correctly. Installing a battery backwards can damage the calculator.



4. Replace the battery compartment cover by sliding it into the grooves until it clicks into place.



Turning the Calculator On and Off

Each time you turn the TI-95 on, it performs a self-test to check for any changes in the contents of the memory since the last time it was turned off. The information displayed depends on the results of this test.

Initial Display at Power Up

Press the **ON** key to turn the calculator on. Adjust the display contrast control on the right side of the calculator as needed.

When the calculator is first turned on, a self-test is automatically performed to check the contents of the memory. If you have installed batteries just prior to turning the calculator on, the following message is displayed.

MEMORY CLEARED

This message means the self-test has detected a complete loss of memory. The memory has been cleared and all parameters have been reset to their default settings.

Refer to "System Parameter Settings" in Appendix A for a list of system parameters and the effects of pressing the RESET key or allowing the batteries to discharge.

If the memory has not been cleared, but the self-test detects a change in the memory contents, the message below is displayed. You should check any values stored in the calculator memories and verify any stored program instructions. This message is also displayed if you press the RESET key while the calculator is on.

MEM MAY BE LOST

If either of these messages is displayed, you can still perform any calculator operations.

Typical Display at Power Up

Generally, when you turn the calculator off and back on, the self-test detects no change in memory contents. When this is the case, the calculator shows the following display.

TI-95 PROCALC

This display indicates that any data or programs stored in the calculator are unchanged and only some parameters are reset to their default settings.

Default Settings

Some of the parameters that are reset to their default settings are:

- ► The display format (set to standard notation)
 - The number base (set to decimal)
 - ► The t-register (cleared)

Refer to "System Parameter Settings" in Appendix A for a complete list of the system parameters and the effects of turning the calculator off and back on.

Power Down


Although the TI–95 consumes very little power, you can extend the life of the batteries by turning the calculator off when you finish using it. If you forget to turn the calculator off, the Automatic Power Down (APD $^{\mathsf{TM}}$) feature turns it off for you.

- ► Press the OFF key to turn the calculator off.
- ► The APD feature turns the calculator off if you do not press any keys for approximately 20 minutes. You can disable this feature by setting the appropriate system flag. Refer to Appendix C of the TI-95 Programming Guide for instructions on how to set this flag.

The TI-95 display is a liquid-crystal display composed of three areas. Each of these areas displays different kinds of information as discussed on the next few pages.

Types of Information Displayed

The three types of information displayed are illustrated below. Each type of information is explained in the following pages.



The status indicators show you the current operating status of the calculator.

The alphanumeric display shows numeric values, audit trail symbols, and alphanumeric messages.

The function-key labels correspond to the function keys (F1 through F5). These display system menu selections for many of the calculator's functions. These are also used with programs available on software cartridges or programs you develop.

Status The status indicators and their meanings are listed Indicators as sale below. Sixthe entraysles of another

| Indicator | Meaning |
|------------|---|
| LOW | The calculator batteries are low. |
| 2nd | The 2nd key has been pressed. |
| LC | The alpha keyboard is locked into lower case. |
| ERROR | An error condition has occurred. |
| DEG | Angle units are set to degrees. |
| RAD | Angle units are set to radians. |
| GRAD | Angle units are set to grads. |
| ALPHA | The alpha mode has been selected. |
| HEX | Hexadecimal number base has been selected. |
| ОСТ | Octal number base has been selected. |
| SYS | The system registers are unprotected. |
| RUN | A program is running. |
| INS and | Insert mode is in effect (in the alpha or learn mode). |
| 1/0 | Information is being exchanged with an external device. |
| INV | The inverse key has been pressed. |
| P | The PC-324 printer batteries are low. |
| he display | More information is available to the left. |

(continued)

Alphanumeric Display

The alphanumeric display consists of 16 character positions. It displays the entries you make, an audit trail of operations performed, calculation results, and messages you receive from the calculator.

The entries you make first appear on the right side of the display. Then, when you press an operation key (such as +, -, \times , or +), the number moves toward the center of the display.

An audit trail of your calculations is created when the symbol representing the operation you select appears at the right side of the display.

For example, as you enter the number 234, it appears at the right of the display. If you then press the + key, the numbers move toward the center of the display and the audit trail symbol appears at the right as shown below.



The results of numeric calculations also appear in the alphanumeric display. You can choose from a variety of formats for the display of such results.

Messages that are shown in this area of the display include error and status messages.

Temporary messages also appear in the left or right side of the display and usually show the entry you just made. For example, if you press 45 SIN, the message SIN appears in the right side of the display momentarily, until the calculation is complete.

Function-key Labels

The function-key labels are grouped in five sets of three characters. Each label is located directly above the function key it represents.

When you press certain keys, the labels above the function keys show a system menu of available selections.

For example, if you press the **CONV** key, the **CONVERSIONS** menu is displayed.



This menu indicates that you can select types of conversions, such as metric (MET) or angle (ANG).


When labels are visible above the function keys, the functions indicated by those labels are available. You are not required to select a menu item merely because a menu is displayed. If you want to remove the menu labels, however, you can do so by pressing 2nd IF:CLR1.

Generally, when a menu is displayed, you can:

- Select one of the menu items.
- Press a key (such as NUM) that displays another menu.
- Perform other calculations, such as division or subtraction.

The TI-95 has 65 keys, each with a primary function. In addition, many keys have alternate functions. The five definable function keys provide additional selections. Some functions use "fields" as labels or addresses for the function to be performed.


Primary The primary function of each key is printed on the key.



In this guide, primary key functions are illustrated by a box around the function. Example: EE.

Second **Functions**

Some of the keys have a second function labeled above the key in vellow. To use the second function of a key. press 2nd before pressing the key.




In this guide, second functions are enclosed in brackets and preceded by the 2nd key symbol. Example: 2nd [ENG].

Many functions must be followed by identifying data. called fields, to complete the function. For example, to store a number in data register 4, you must enter STO 004. The register address 004 is the field.

Alpha Mode Characters

Some keys have an alphabetic or punctuation character labeled above the key. These symbols can be accessed only through the alpha mode or when entering alpha fields, such as file names or labels. The alpha mode is discussed in the TI-95 Programming Guide.



In this guide and the programming guide, references to alpha characters are boldfaced without brackets.

Inverse and ave Functions

Some keys have an inverse function that generally produces the opposite effect of the primary function. To use the inverse function of a key, press NV before pressing the key. For example, [NV] SIN is the arcsine function.

> A few functions are implemented by using INV with the second function of a key. For example, the key sequence INV 2nd [ENG] returns the calculator from engineering notation to standard notation. When using these functions, the INV and 2nd keys may be pressed in either order.


Definable **Function Keys**

The functions of the F1 through F5 keys are defined by certain other keys. Labels appear in the display directly above the keys to indicate their functions.

In this manual, references to the functions of definable keys are illustrated with the label enclosed in brackets. Example: (F-C).

When you press certain keys (such as CONV or NUM), the labels above the function keys offer you a system menu of available selections. You can continue using the menu as long as it remains in the display.

For example, when you press the **CONV** (conversions) key, a menu appears. You then select the type of conversion you want from the menu. Some of the conversions you select offer other menus as shown below.



1-11

Using System Menus

The system menus increase the number of available functions. Although the operation of a particular menu may vary slightly from others, the general operation of menus is the same. "System Menus" in Appendix A contains a complete list of function key menus.

Operation of System Menus


Although there are only five function keys, some menus may have more than five selections. When more selections are available, the rightmost function key (F5) is labeled as an arrow (-->). When you make this selection, the function keys are redefined to present the additional selections.

Example of a System Menu

The following example demonstrates the operation of a system menu using the **CONVERSIONS** menu.

1. Press the CONV (conversions) key.


The following labels appear over the function keys.



Some menu selections have an inverse function. In this guide, these functions are listed below the menus as the key sequence required to obtain the function. For example, in the **CONVERSIONS** menu, $|\overline{\textbf{INV}}| \langle \textbf{P-R} \rangle$ selects rectangular to polar conversions.

(Continued)

Example 2. Select (MET) for metric conversions. The function keys are redefined and the following labels appear above the function keys.




- 3. Place a value you wish to convert in the display.
- 4. Select the appropriate function key for the conversion you want. The converted value appears in the display.

You can continue to make conversions using the METRIC menu as long as the function key labels remain in the display. You do not need to reselect the menu.

The number you wish to convert can be entered either before or after selecting the menu.

The HELP function enables you to determine current parameter settings and reset any parameters that are not currently set to their normal settings. When all parameters are set to their normal settings, the calculator is in the "normal" mode.

The HELP Menu When you press the HELP key, the calculator clears the t-register and any calculation in progress. All error conditions are cleared. Scientific notation display format and the Alpha mode are also cancelled. The calculator then displays the following menu.



Setting the Normal Mode

If you select (ESC), you escape from the HELP function and clear the display. No other settings are changed. If you select (YES), the HELP function sets all system parameters except those related to printer setup (printer device number, print width, and trace) to their normal settings and displays the message NORMAL MODE SET.

If you want to set the printer-related parameters or selectively set any of the others, proceed to "Resetting Selected Modes" on the next page.

The list of parameters that are changed when you select (YES) is provided below.

- ► The SYS mode is reset.
 - The number base is set to decimal.
 - The display format is set to standard notation with floating decimal.
 - The angle units are set to degrees.
 - The Halt On Error flag (flag 15) is reset.
 - User memory (other than files) is partitioned to half data registers and half program memory.

Resetting Selected Modes

If you select (NO) in response to the SET NORMAL MODE? prompt, the status may be displayed in one of two ways.

- ► If all parameters are at their normal settings, the message FUNCTION DONE is displayed.
- If any parameters are not at their normal settings, the calculator displays a series of prompts for only these parameters that lets you reset them to their normal setting. The list below shows all possible prompts that you might see.

| | Function Keys | | | | |
|---------------------|---------------|----|-----|----|----|
| Prompt page and who | F1 | F2 | F3 | F4 | F5 |
| CLR SYSTEM MODE? | YES | NO | 13. | | |
| RESET HEX MODE? | YES | NO | | | |
| or RESET OCT MODE? | YES | NO | | | |
| or RESET UNFORMAT? | YES | NO | | | |
| CLR FIX = x MODE? * | YES | NO | | | |
| RESET ENG MODE? | YES | NO | | | |
| RESET GRAD MODE? | YES | NO | | | |
| or RESET RAD MODE? | YES | NO | | | |
| CLR HALT ON ERR? | YES | NO | | | |
| RESET PRT DEV #? | YES | NO | | | |
| RESET PRT WIDTH? | YES | NO | | | |
| RESET TRACE? | YES | NO | | | |
| RESET PARTITION? | YES | NO | | | |

^{*} x represents the fix number in effect.

If you respond to any prompt by selecting $\langle YES \rangle$, that parameter is reset to its normal setting.

If you respond to a prompt by selecting $\langle NO \rangle$, that parameter remains at the current setting.

Most of these parameters are also affected when you change batteries, reset the calculator, or turn the calculator off and on. Refer to "System Parameter Settings" in Appendix A for information concerning the effects of these actions on each parameter.

Displayed Values versus Internal Storage

The accuracy of a calculating device is determined by the number of digits used for computations. To provide the precision required by a professional calculator, the TI-95 stores all values internally to 13 digits.

Display Register

The Numeric Numbers that you see in the calculator's display are also stored internally in a special memory location called the numeric display register. As you use the numeric functions of the calculator, be aware that what you see in the display and what is stored internally can differ. The number of digits shown in the display depends upon the display format that you have selected.

> The numeric functions of the calculator, whether executed from the keyboard or in a program, always use the value stored in the numeric display register. In most cases, the difference between a displayed value and the value stored internally is not important, because the internally stored value is used for subsequent calculations.

The possibility of different values can be important when numbers are compared in a program for decisionmaking purposes. For details on comparison tests, refer to Chapter 5 of the TI-95 Programming Guide.

If you want to see the 13 digits stored internally in the numeric display register, use the 2nd [13d] key sequence described on page 2-14 of this guide. If you want to force the calculator to store the same value internally that is displayed, use the NUM (RND) key sequence described on page 2-29.


Chapter 2: Math Operations

The TI-95 mathematics capabilities include a variety of functions that exceeds that of most scientific calculators.

| Table of Contents | Location of the Math Keys | 2-2 |
|-------------------|---|------|
| | AOS TM Algebraic Operating System | 2-3 |
| | Using Parentheses to Override AOS | 2-6 |
| | Entering Data | 2-8 |
| | Clearing the Calculator | 2-9 |
| | Correcting Entry Errors | 2-10 |
| | Selecting the Format of Displayed Values | 2-12 |
| | Entering Numbers in Scientific Notation | 2-15 |
| | Arithmetic Operations | 2-16 |
| | Reciprocals, Squares, and Square Roots | 2-17 |
| | Universal Powers and Roots | 2-18 |
| | Trigonometric Operations | 2-20 |
| | Hyperbolic Operations | 2-22 |
| | Factorials, Permutations, and Combinations | 2-24 |
| | Logarithms | 2-26 |
| | Numeric Functions | 2-27 |
| | Integer Portion, Fractional Portion, and Rounding | 2-28 |
| | Prime Factors | 2-30 |
| | Common Multiples and Divisors | 2-31 |
| | Absolute and Signum Functions | 2-32 |
| | Random Numbers | 2-33 |
| | Extended Functions | 2-34 |
| | Quadratic Equations | 2-35 |
| | Cubic Equations | 2-37 |

Location of the Math Keys

The keys used to perform math operations are shown in the figure below. You should familiarize yourself with these keys and their location on the keyboard.



AOS™ Algebraic Operating System

The AOSTM Algebraic Operating System enables you to enter numbers and combined operations into the calculator in a straightforward sequence. To ensure your calculations are performed in the correct order, the AOS uses algebraic rules to assign priorities to the mathematics operations.

Purpose Without a fixed set of algebraic rules, a problem such as $16-8 \div 2 + 6$ may have several possible answers, depending on the order in which the operations are completed. However, the Algebraic Operating System solves this problem by completing the division first (8 ÷ 2) and then completing the subtraction and addition. Therefore, $16 - 8 \div 2 + 6 = 18$.

Pending Operations

In a problem such as $4 \times 5 = 20$, simply entering 4×5 does not produce the answer. The operation must be completed by pressing an appropriate key such as =. (Note that multiplication can be completed by any operation that has equal or lower priority in the algebraic hierarchy.) Until completed, 4×5 creates a pending operation.

> The TI-95 can perform calculations containing a maximum of eight pending operations.

Note: Immediate functions, such as x2, complete themselves and do not need to be completed by pressing another key.

(continued)

Algebraic The AOS algebraic hierarchy completes all operations Hlerarchy according to their relative priorities, which are listed below in descending priority.

- raction and addition Immediate functions—SIN, COS, TAN INV SIN, INV COS, INV TAN HYP SIN, HYP COS, HYP TAN INV HYP SIN, INV HYP COS, INV HYP TAN 2nd [nPr], 2nd [nCr], 2nd [x!] LOG, INV LOG, LN, INV LN CONV functions, NUM functions $[x^2], [\sqrt{x}], [1/x]$
 - 2. Universal powers and roots—yx, INV yx
 - Multiplication and division—×, + 3.
 - 4. Addition and subtraction—+, -
 - 5. Equals-=

With the AOS hierarchy, lower-priority operations are delayed until higher-priority operations are complete.

- Operations in priority 1 are immediate functions. These functions are performed as soon as you press the keys.
- Operations in priorities 2, 3, and 4 are completed by any operation with the same or a lower priority. For example, multiplication and division are completed by another x or + operation or by +, -, or =.
- ► The = key completes all operations. If you finish a calculation with the =, there is no need to clear the calculator prior to performing another calculation.

Example The following calculation illustrates the algebraic hierarchy and pending operations.

Calculate $4+8 \div 2^5-2$.

| Procedure | Press | Display |
|---|----------------------------------|---------|
| Clear display | CLEAR | 0. |
| Enter addition | 4+ | 4. + |
| Enter pending division (addition is also | Calculate 7 × (3 | Example |
| pending) | 8 ÷ | 8. / |
| Enter pending power (addition and division | Weekner | |
| are also pending) | 2 yx | 2. y^x |
| Complete pending operations and set up | multiplication Enter and eval | |
| pending subtraction | 5 - parentine - 6 | 4.25 - |
| Complete calculation | 2 = | 2.25 |

Because subtraction is lower than division and equal to addition in the AOS hierarchy, both of these operations are completed.

Using Parentheses to Override AOS

At times, you may want an expression evaluated differently from the normal order of evaluation. Using parentheses lets you control the order of evaluation. You should use parentheses if you have any doubts about the way the calculator will evaluate an expression.

Effect of landerals of Parentheses

Using parentheses enables you to give priority to operations within an expression. When you enclose a portion of an expression within parentheses, that portion is evaluated separately.

Although some mathematics expressions often use parentheses to imply multiplication, the TI-95 requires that you include the $\boxed{\times}$ key in the calculation. For example, you must enter 7(3+5) as $7\times(3+5)$.

Example

Calculate $7 \times (3+5)$.

| Procedure | Press | Display |
|---|------------|---------|
| Clear display | CLEAR | 0. |
| Begin pending multiplication | ato Museum | 7. |
| Enter and evaluate parenthetical expression | (3+ 5) | 8. |
| Complete pending operation | | 56. |

If this expression were entered without parentheses, the AOS feature would complete the multiplication (7×3) before the addition (+5), producing an incorrect result of 26.

Levels of You can use up to 15 levels of parentheses. This gives Parentheses you the capability to enter more complex expressions.

Example Calculate $2 \times (2 \times (2 \times (2 \times (2 \times (2 + 3) + 2) + 2)))$.

| Procedure | Press | Display |
|-------------------------------|---------------------------------|-------------------------------|
| Clear display | CLEAR | 0. |
| Enter pending multiplications | 2 × (2 × (2 × (2 × (2 | Changing the Sign Cl. 2 |
| Enter (2+3) | (2+3) | 5. |
| Evaluate $(2 \times 5 + 2)$ | +2) | 12. |
| Evaluate (2×12+2) | +2) | 26. |
| Evaluate (2×26) | can conting en | 52. |
| Evaluate (2×52) | The Elle Cos | 104. |
| Evaluate 2×104 | notation. | 208. |

It is not necessary to press) when it is at the end of a calculation. Pressing = automatically closes all open parentheses, evaluates the expression in the proper order, and displays the end result. However, if you want to see the intermediate result of a parenthetical expression, you must use the 11 key.

Entering Data

The data entry keys enable you to enter the numerical data needed to perform calculations. You can enter numbers in either standard or scientific notation.

Entering Digits

The digit keys enter numbers into the display. In standard notation, you can enter up to 13 digits and a decimal point. In scientific notation, you can enter 13 digits, a decimal point, and two exponent digits.

Entering the Decimal Point

The \(\cdot\) key enters a decimal point. Only one decimal point can be entered. The exponent of scientific notation cannot include a decimal point.

Changing the Sign

The +I- key changes the sign of the number in the display. This enables you to enter negative numbers and negative exponents. To enter a negative number, press the +I- key before, during, or after entering the number. To enter a negative exponent, press the +I- key after entering the exponent.

Correcting Entries

The key enables you to backspace the number in the display to replace a digit. After you replace the digit, you can continue entering data.

Entering Scientific Notation

Entering Pi

The 2nd 1π 1 key sequence enters the value of pi to 13 significant digits, with a value of 3.141592653590. The display shows the value of pi rounded to ten digits, 3.141592654, unless you have selected a format other than the standard, 10-digit display.

Clearing the Calculator

The calculator contains several keys used for clearing. When you use one of the clear keys on the calculator, you should be sure that you will not affect areas you do not want to clear.

The CLEAR Key When you press the CLEAR key, the alphanumeric area of the display is cleared. The standard display format is returned. Also, any fields in progress and any pending operations in the AOS stack are cleared.

The CE Key When you press the CE key, the entry you just made is cleared if no other function key has been pressed. The AOS stack is not affected. This enables you to continue with a calculation without starting over.

The 2nd [CMS] When you press 2nd [CMS], the data registers, as defined Key Sequence by the current partition, are cleared.

The 2nd [CP]

When you press 2nd [CP] in the learn mode, programs Key Sequence you have stored in program memory are cleared.

Key Sequence work

The 2nd [F:CLR] When you press 2nd [F:CLR], the function-key label area of the display is cleared.

The RESET Button

You should only press the RESET button as a "last resort' to restart the calculator when a problem occurs that prevents you from entering from the keyboard. The button is flush with the case of the calculator so that you cannot press it accidentally. When you press the RESET button, the display is cleared and replaced with the message MEM MAY BE LOST. The following conditions are changed. For other effects, refer to "System Parameter Settings' in Appendix A.

- The display format is changed to standard notation.
- The decimal point is changed to floating decimal.
 - The number base is changed to decimal.
 - ► The temporary register is cleared.

Correcting Entry Errors

You may occasionally enter an incorrect number or press an incorrect function key. You can use the CLEAR key to remove these errors, but this also clears the display, cancels all operations, and clears scientific notation. In many instances, you can correct an error without these unwanted effects.

Correcting You can correct mistaken numeric entries using the Numeric or the CE key, provided you have not yet pressed an Entries operation key such as + or =.

- ► When you use the key, the display is backspaced one character at a time to enable you to replace any digit or decimal point in the mantissa. You can also use this key to correct the exponent if you are entering in scientific notation.
- ► When you use the CE key, the entire number entry is cleared but pending operations are not.

If you make an error while entering the mantissa of a number in scientific notation, you must correct the error before pressing the EE key. After you have pressed the EE key, you can make corrections to the exponent using the + key or by entering new numbers over the incorrect numbers. The CE key cannot be used to correct only the exponent.

Correcting You may be able to correct another type of mistaken Pending entry, depending on whether the entry completes a Operations pending operation.

- ► If the incorrect entry has an equal or higher priority than the intended entry, you can immediately press the correct key and continue. The calculator will obtain the correct result.
 - ► If the incorrect entry has a lower priority than the intended entry, it may complete a pending operation. Even if you replace the incorrect entry, the calculator will obtain an incorrect result.

The examples on the next page illustrate when you can correct mistaken entries involving a pending operation.

| Eq | ual | Pri | ori | ity |
|----|-----|-----|-----|-----|
| Ex | am | ple | | |

Calculate $10.6 + 12.7 \times 5$.

| Procedure | Press | Display |
|--|--------|---------|
| Clear display | CLEAR | 0. |
| Enter addition | 10.6 + | 10.6 + |
| Incorrect ÷ does not complete pending + | 12.7 ÷ | 12.7 / |
| Correct×replaces ÷, yields correct answer | ×5= | 74.1 |

Example

Lower Priority Calculate 10.6 + 12.7 × 5.

| Procedure Calouis | Press | Disp | Display | | |
|-------------------------------------|--------|-------|---------|--|--|
| Clear display | CLEAR | 0. | | | |
| Enter addition | 10.6 + | 10.6 | + | | |
| Incorrect minus completes pending + | 12.7 🗖 | 23.3 | _ | | |
| Correct×yields incorrect answer | ×5= | 116.5 | | | |

Selecting the Format of Displayed Values

Although all numeric values are stored in the calculator with a 13-digit mantissa, you can choose the format in which the calculator displays these values. Three formats are available. You can also fix the number of decimal places or display the entire 13 digits.

Standard

The calculator is in standard notation when you turn it on until you select another notation. In this format, a number is displayed with a maximum of ten digits and a decimal. A sign is also displayed if the number is negative. The following list shows the ranges of values that can be displayed in standard notation.

-9999999999. to -0.000000001 zero 0.000000001 to 9999999999.

Values outside these ranges are automatically converted to scientific notation. When values are once again in range, they are displayed in standard notation.

Scientific Notation

To convert to the scientific notation format, press EE. Numbers are displayed as a 7-digit mantissa with a 2-digit exponent. Because pressing EE puts the calculator in the live entry mode, the mantissa may have more than 7 digits when you first press EE. The internal value is displayed until you make your first entry. All numbers are displayed in this notation until you select a different format.

Press INV EE to return the calculator to standard notation. If you have selected a fixed number of decimal positions, this is not changed.

Engineering Notation

To convert to the engineering notation format, press [2nd] [ENG]. This is a form of scientific notation with an exponent that is a multiple of three. This enables the display of engineering-related results, such as 10^6 for megohms or 10^{-12} for picofarads.

All numbers are displayed in this notation until you select standard notation. (You cannot convert directly from engineering to scientific notation.)

Press [INV] 2nd [ENG] to return the calculator to standard notation. If you have selected a fixed number of decimal positions, this is not changed.


Example

The following example illustrates the conversion of numbers from one notation to another.

| Procedure | Press | Display |
|-----------------------------------|--------------------|---------------------|
| Clear display | CLEAR | 0. |
| Enter number in standard notation | 740772592.9 +/- | - 740772592.9 |
| Convert to scientific notation | EE = | -7.407726 08 |
| Convert to standard notation | INV EE | -740772592.9 |
| Convert to engineering notation | 2nd [ENG] | -740.7726 06 |
| Convert to standard notation | INV 2nd [ENG] | - 740772592.9 |

Summary of Notation Conversions

The key sequences required to convert between display notations are summarized in the illustration below.



(continued)

Selecting the Format of Displayed Values (Continued)

In addition to selecting the notation of the displayed value (standard, scientific, or engineering), you can set the number of decimal places to be displayed. You can also display the entire 13 digits in a number, regardless of the format selected.

Fixing the Number of Decimal Places

The calculator normally displays numbers with a floating decimal point. You can, however, display results with a fixed number of decimal places.

The key sequence 2nd IFIXI, followed by any number from 0 to 8, fixes the number of decimal places. Displayed numbers are rounded as necessary to the number of decimal places you select. Only the display is affected. The number is not changed internally.

2nd [FIX] 9 restores the floating decimal point.

Displaying All 13 Digits

The 2nd [13d] key sequence lets you examine the digits not normally shown in the display due to rounding.

When you use this function, all 13 digits in the numeric display register are displayed.

- They are preceded by the sign of the number.
- ► No exponent is displayed, regardless of notation.
 - ► The 13-digit display is temporary.
 - ► No decimal point is displayed.

Example

Calculate $3.9 \div .41$, fix to four decimal places, display all 13 digits of the result, and return to floating-decimal format.

| Procedure obatoM | Press | Display |
|-------------------------|----------------|----------------|
| Clear display | CLEAR | 0. |
| Calculate answer | 3.9 ÷ .41 = | 9.512195122 |
| Fix decimal to 4 places | 2nd [FIX] 4 | 9.5122 |
| Examine all 13 digits | 2nd [13d] | +9512195121951 |
| Clear fixed decimal | 2nd [FIX]9 | 9.512195122 |

Entering Numbers in Scientific Notation College Mandal A

You can enter numbers in scientific notation regardless of which display format you have selected.

Procedure To enter numbers in scientific notation:

- 1. Enter the mantissa, including +1- if negative.
 - 2. Press EE.
 - 3. Enter the exponent, including +/- if negative.

When you press an operation key, the display and resulting notation depend on prior conditions.

- If you have previously selected standard or scientific notation, the number is displayed in the scientific format and the calculator remains in scientific notation until changed.
- If you have previously selected engineering notation, the number is normalized to the engineering format and the calculator remains in engineering notation until changed.

Example

Enter the number -74.07×10^4 when the calculator is in the standard display format.

| Procedure | Press | Display |
|--------------------------------|-----------|------------|
| Clear display | CLEAR | 0. |
| Enter the mantissa | 74.07 +/- | -74.07 |
| Enter the exponent | EE 4 | -74.07 04 |
| Convert to scientific notation | | - 7.407 05 |
| Return to standard notation | INV EE | − 740700. |

Arithmetic Operations all the Scientific Operations all the Scientific Operations

The four basic arithmetic operations—addition, subtraction, multiplication, and division—are the mathematical functions you will use most often when solving problems with your calculator.

Basic Arithmetic Keys

The +, -, \times , and + keys perform the four basic arithmetic functions. When you use a combination of these functions in an expression, the AOS^{TM} system keeps track of the priorities and causes the functions to be performed in the correct order.

The a key completes all pending operations and displays the result of a calculation.

Example

Calculate $15 + (6 \div 3) \times 4$.

| Procedure | Press | Disp | lay |
|---|-----------------------------|------|-----|
| Clear display | CLEAR | 0. | |
| Enter addition Control | 15 + Mer | 15. | + |
| Enter division (pending addition not completed) | lator Museum | 3 | |
| Complete division (6 ÷ 3) | x x | 2. | |
| Calculate $15 + (2 \times 4)$ | geib brushrigta selt 4 = | 23. | • |

Reciprocals, Squares, and Square Roots wo 9 Issuevin U

The reciprocal (x⁻¹), square (x²), and square root (x^{.5}) can be considered mathematically as raising a number to a predetermined power. Your calculator performs these functions in one keystroke. The functions are performed immediately and do not affect any pending operations.

| | Ci | | | |
|--|----|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Use the 1/x key to calculate the reciprocal of any nonzero number in the display.

Squares

Use the x^2 key to calculate the square of a number in the display if the result is within the range of the calculator.

Square Roots

Use the \sqrt{x} key to determine the square root of a positive number in the display.

Example

This example illustrates the operation of the [1/x], $[x^2]$, and $[\sqrt{x}]$ functions.

| Procedure X 3rd (1949) | Press | Display |
|---|----------------------------|----------------------|
| Clear display | CLEAR | 0. |
| Enter a negative number | 8 +/- seun | alg ₈ ax3 |
| Calculate the reciprocal of the number | 1/x | - 0.125 |
| Calculate the square of the displayed number | velgelb asolo | 0.015625 |
| Calculate the square root of the displayed number | Enter x value Complet x | 0.125 |
| Change displayed number to a negative value | Enter negativ | -0.125 |
| Display indicates a negative number has no real square root | | INVALID ARGUMENT |
| Clear error condition | CLEAR | 0. |

The universal power and universal root functions calculate any power or root value of a positive number. They will also calculate integer powers of negative numbers. Both functions are pending operations that must be completed by entering an operation key.

Powers

Universal You can use the universal power key yx to raise a positive number to any power. You can also raise a negative number to an integer power. The power can be either negative or positive.

To use the universal power function:

- 1. Enter the number (the y value) you want raised to a power. This example illustrates the operation of the fixl. |x4|
 - 2. Press yx.
 - 3. Enter the power (the x value).
 - 4. Press any operation key to complete the calculation.

Example

Calculate 3.14.7 and -3.14

| Procedure | Press | Displa |
|--------------------------------|--------------------------------|-------------|
| Clear display | CLEAR | 0. |
| Enter positive y value | 3.1 yx | 3.1 y^: |
| Enter x value | 4.7 | 4.7 |
| Complete the pending operation | nomber | 203.8918944 |
| Enter negative y value | 3.1 +/- yx | -3.1 y^ |
| Enter integer x value | 4 but water it | 4 |
| Complete the pending operation | negative numl no real squee | 92.3521 |

Universal You can use the universal root function INV yx to Roots determine any root (positive or negative) of a positive number. You can also determine a root of a negative number if the reciprocal of the root is an integer.

To use the universal root function:

- 1. Enter the number (the y value) and press [NV] [yx].
 - 2. Enter the root (the x value) and press an operation kev.

Example Calculate $-3.8\sqrt{21}$ and $.5\sqrt{21}$.

| Procedure 0 Joerg V | Press | Display |
|---------------------------|------------------|-------------------|
| Clear display | CLEAR Seum | 0. |
| Enter positive y value | 21 INV yx | 21. x √ y |
| Enter negative x value | 3.8 +/- | -3.8 |
| Complete the operation | Tilgonomia | 0.448794529 |
| Enter negative y value | 21 +/- INV yx | −21. x ∨ y |
| Enter x value | 0.5 | .5 |
| Complete the operation | Tangent = | 441. |

Trigonometric Operations

You can use the calculator to perform operations involving the most commonly used trigonometric functions and set it to display the results in either degrees, radians, or grads.

Selecting the When you turn the calculator on, you can enter angles in Angle Units the angle units last selected. The results of any angle calculations are also displayed in these angle units.

> The key sequence [2nd [DRG] changes the angle units. Each time you press this key sequence, the calculator rotates to the next unit. The rotation sequence is degrees, radians, grads, and then degrees again. You can press INV 2nd [DRG] at any time and return to degree units. A status indicator in the display shows the units you have selected.

> Changing the angle units does not convert a number in the display. You can use angle conversions, described on page 4-8, to convert a number in the display without changing angle modes.

Available Trigonometric **Functions**

The following table lists the trigonometric functions available on the calculator and the keys you must press to obtain them. All are immediate functions.

| Trigonometric Trigonometric | |
|-----------------------------|---------|
| Function | Keys |
| Sine | SIN |
| Cosine | cos |
| Tangent | TAN |
| Arcsine | INV SIN |
| Arccosine | INV COS |
| Arctangent | INV TAN |

Example In the following example, calculate the cosine of 35° and the arccosine of the result to illustrate the operation of the trigonometric functions.

| Procedure | Press | Display |
|-------------------------|---------|-------------|
| Clear display | CLEAR | 0. |
| Select degree mode | [DRG] | DEG MODE |
| Enter the number | 35 | 35 |
| Calculate the cosine | cos | .8191520443 |
| Calculate the arccosine | INV COS | 35. |

Hyperbolic Operations

Hyperbolic operations have properties that are very similar to the trigonometric operations described previously. However, the angle units setting does not affect the results of a hyperbolic function because these functions are not based on angles.

The Hyperbolic Key

The HYP key enables you to use the trigonometric keys on your calculator to perform hyperbolic functions. The NY key enables you to perform the inverse hyperbolic functions.

The following table lists the hyperbolic functions available on your calculator and the key sequences you use to obtain them. Note that the <code>INV</code> and <code>HYP</code> keys may be pressed in either order when calculating the inverse hyperbolic functions.

| Hyperbolic enisos enis est | |
|----------------------------|-------------------------------|
| Function | Keys |
| Hyperbolic sine | HYP SIN |
| Inverse hyperbolic sine | INV HYP SIN or HYP INV SIN |
| Hyperbolic cosine | HYP COS |
| Inverse hyperbolic cosine | INV HYP COS or HYP INV COS |
| Hyperbolic tangent | HYP TAN |
| Inverse hyperbolic tangent | INV HYP TAN or HYP INV TAN |

The following example illustrates the operation of the hyperbolic functions.

| Procedure | Press | Display |
|--|---------------------|-------------|
| Clear display | CLEAR | 0. |
| Enter a number | The factoria E of a | 3 |
| Calculate the hyperbolic sine | HYP | 10.01787493 |
| Enter a number | 5 bilever | .5 |
| Calculate the inverse hyperbolic tangent | INV HYP TAN | .5493061443 |

Factorials, Permutations, and Combinations

In probability calculations, you often need to multiply a series of consecutive numbers (factorials) or find the number of possible arrangements of items (permutations or combinations). The functions discussed in this section provide you with these capabilities.

Factorial

The factorial function enables you to calculate the factorial of negative or positive numbers.

The range of negative numbers is from -70.5 to 0. Only half-integer numbers are valid. For example, -8.5 and -9.5 are valid inputs, but -9 is not.

The factorial of any number less than -70.5 results in an answer of 0., indicating an underflow, due to the limit of 13 digits in the mantissa.

The valid range of positive numbers is from 0 to 69.5. Both half- and whole-integer numbers are valid. For example, 8.5, 9, and 9.5 are all valid inputs.

The factorial function operates on the internal value, not the displayed value. Use the <code>[2nd]</code> [13d] key sequence to ensure a displayed number is a valid input.

Example

The following example illustrates the operation of the factorial function.

| Procedure | Press | Display | |
|---|------------------------|--------------------|--|
| Clear display | CLEAR | 0. | |
| Calculate -49.5 factorial | 49.5 +/- 2nd [x!] | x! = -3.624523 -62 | |
| Calculate - 49 factorial | 49 +/- 2nd [x!] | INVALID ENTRY | |
| Calculate 49 factorial | CLEAR 49 2nd [x!] | x! = 6.082819 62 | |
| Calculate 9.99999999999999999999999999999999999 | 9.999999999 ÷ 2 = | 5. | |
| Calculate the factorial | 2nd [x!] | INVALID ENTRY | |
| Clear display | CLEAR | 0. | |

Permutations This function enables you to calculate the number of permutations of n items taken r at a time. The range is limited only by the range of the calculator as long as n is a positive number equal to or greater than r. If your calculation exceeds the range of the calculator, an OVERFLOW message appears.

Example Calculate the number of possible arrangements of six appliances of the same width on a kitchen wall with only room for three.

| Procedure | Press | | Display |
|----------------------------|---------------|------|---------|
| Clear display | CLEAR | rr . | 0. |
| Calculate the permutations | 6 x~t 3 [nPr] | nPr= | 120. |

Combinations

This function enables you to calculate the number of combinations of n items taken r at a time. The range is limited only by the range of the calculator as long as n is a positive number equal to or greater than r. If your calculation exceeds the range of the calculator, an **OVERFLOW** message appears.

Example

Calculate the number of hands you might draw from a deck of 52 cards if you draw 5 cards each time.

| Procedure | Istutan | Press | Cal | Display |
|----------------------------|---------|-----------------------|------|----------|
| Clear display | | CLEAR | 1111 | 0. |
| Calculate the combinations | | 52 x~t 5 2nd [nCr] | nCr= | 2598960. |

The TI-95 can perform calculations involving common and natural logarithms and their inverses (antilogarithms).

Logarithms The LN key calculates the natural (base e) logarithm of a number in the display. The LOG key calculates the common (base 10) logarithm of a number in the display. These functions require a positive input value.

Antilogarithms

The key sequence INV LN calculates the natural antilogarithm of a number in the display. The natural antilogarithm function can be thought of as ex.

The key sequence INV LOG calculates the common antilogarithm of a number in the display. The common antilogarithm function can be thought of as 10x.

Example

The following example illustrates the operation of the logarithm and antilogarithm functions.

| Press USeum | Display |
|-----------------|-------------------------|
| CLEAR | 0. |
| 83 | 83 |
| LOG | 1.919078092 |
| INV LOG | 83. |
| deck of 52 card | 4.418840608 |
| INV LN | 83. |
| | CLEAR 83 LOG INV LOG LN |

Eight numeric functions are available as selections on the NUMBER FUNCTIONS menu. You access the menu when you select the numeric (NUM) function.

Menu

The Number When you press the NUM key, a menu appears. Each of Functions the menu selections is explained in the following pages.



(INT) Discards the fraction and keeps the integer (FRC) Discards the integer and keeps the fraction (R#) Generates a random number INV (R#) Enables you to enter a seed number to

of the giternal value and generate a predictable random number sequence .

(RND) Rounds a number internally to the display format (scientific, engineering, standard, or fixed)

⟨-->⟩ Displays the selections shown below



Calculates the signum (sign) of a number (SGN) Calculates the least common multiple and (LCM) greatest common divisor of a number (PF) Determines the lowest prime factor of a number Changes a number to its absolute value (ABS) (-->> Displays the selections shown above

Integer Portion, Fractional Portion, and Rounding

You can choose to discard a portion of a number that you consider insignificant or unimportant to the problem you are solving. You can do this using the integer portion, fractional portion, or rounding functions. These functions operate on the internal value, not the displayed value.

Integer Portion

Selecting (INT) from the NUMBER FUNCTIONS menu discards the fractional portion of the internal value and retains only the integer portion.

If the displayed value is the same as the internal value, the integer portion remains the same and the fractional portion is discarded. Because this function operates on the internal value, if the two values are not the same. selecting the INT function may produce an unexpected result as shown in the example below. You can use the 2nd [13d] key sequence to check the internal value before using the INT function.

Fractional

Selecting (FRC) from the NUMBER FUNCTIONS menu Portion discards the integer portion of the internal value and retains only the fractional portion.

If the displayed value is the same as the internal value, the fractional portion remains the same and the integer portion is discarded. Because this function operates on the internal value, if the two values are not the same, selecting the FRC function may produce an unexpected result as shown in the example below. You can use the 2nd [13d] key sequence to check the internal value before using the FRC function.

Example

The example below illustrates the operation of the INT and FRC functions.

| Internal Value | Displayed Value | Integer Portion | Fractional Portion |
|-------------------|-----------------|--------------------|-----------------------|
| -65.231 | -65.231 | -65. | -0.231 |
| .999999999991 | 1. | 0. | 1. |
| 1.99999999998 | 2. | 1. | 1. |

Rounding Selecting (RND) from the NUMBER FUNCTIONS menu changes the internal value to match the value that is displayed.

> You can use the RND function with standard, scientific, or engineering notation. You can also use it with fixed decimal. -) to the fact of th

Example The example below illustrates the operation of the RND function.

| Procedure | Press | Display |
|--|-----------------------------|----------------|
| Clear display | CLEAR | 0. |
| Enter n 10 Joero | 2nd [π] | 3.141592654 |
| Check internal value | 2nd [13d] | +3141592653590 |
| Round internal value | NUM (RND) | 3.141592654 |
| Check internal value | 2nd [13d] | +3141592654000 |
| Calculate 2 times .999999999999999999999999999999999999 | .9999999999991 EE 99 × 2 | 2. 99 |
| Check internal value | 2nd [13d] | + 199999999998 |
| Round and verify internal value | (RND) 2nd [13d] | +2000000000000 |

The value is changed internally to the same value as that in the display.

You can use the calculator to determine the prime factors of a whole number.

Calculating Selecting (PF) from the NUMBER FUNCTIONS menu finds Prime Factors the lowest prime factor of the displayed value. To use the PF function:

- 1. Enter the number.
 - 2. Press NUM and select (-->).
 - 3. Select (PF). The least prime factor is displayed and the remaining value is stored in the t-register (temporary register).
 - 4. Press x~t. The remaining value is displayed.
 - 5. Repeat steps 3 and 4 until the result is 1.

Note: If the first displayed factor of a number is 1, the number is prime.

Example

Find the prime factors of 102.

| Procedure | Press | | Display |
|---------------------------------|--------|---------------|---------|
| Clear display | CLEAR | aes. | 0. |
| Enter a number | 102 | Che | 102 |
| Calculate least prime factor | (>) | Rou etinte | 2. |
| Display remaining valu | ie x∿t | off. | 51. |
| Calculate next factor | (PF) | is sif= | 3. |
| Display remaining valu | e x∿t | | 17. |
| Calculate next factor | (PF) | f= | 1. |

The prime factors are 2, 3, and 17.

Common Multiples and Common Divisors and Student A

One of the selections on the NUMBER FUNCTIONS menu lets you calculate least common multiples and greatest common divisors.

The LCM Selecting (LCM) from the NUMBER FUNCTIONS menu Function calculates both the least common multiple and the greatest common divisor of two numbers.

> Because this function requires two numbers for the comparison and calculates two results, a separate storage area is required. You must store one number in the t-register and place the other number in the display. The function places the least common multiple in the display and stores the greatest common divisor in the t-register.

To use the LCM function:

- 1. Enter one of the numbers and press x~t to store the number in the t-register.
- 2. Enter the other number and press NUM <-->> <LCM> to perform the calculation and display the least common multiple.
 - 3. Press x to display the greatest common divisor.

Example

Determine the least common multiple and greatest common divisor of the numbers 36 and 48.

| Procedure | Press | | Display |
|--|---------------------------|------|---------|
| Clear display | CLEAR | Fe | 0. |
| Enter the two numbers | 36 x∼t 48 | rd | 48 |
| Display LCM (GCD stored in t-register) | NUM <>> <lcm></lcm> | LCM= | 144. |
| Display GCD | x∿t | | 12. |

Absolute and Signum Functions as selgiflum nommod

You can use the calculator to determine the absolute value and signum function of a number.

Absolute Values

Selecting (ABS) from the NUMBER FUNCTIONS menu changes the number in the display to its absolute value.

Example

Calculate $|3 \div 10 - 2| \times 11$.

| Procedure | Press | Display |
|-----------------------------------|------------|---------|
| Clear display | CLEAR | 0. |
| Perform the calculation | 1 (3 ÷ 10 | - 1.7 |
| Calculate the absolute value | NUM <>> | |
| | (ABS) | 1.7 |
| Multiply the absolute value by 11 | × 11 = | 18.7 |

Signum Signum Function

Selecting $\langle SGN \rangle$ from the NUMBER FUNCTIONS menu determines the sign of the number in the display and results in either a 1 or -1, depending on the sign.

| Value in Display | Signum | | |
|------------------|----------------|--|--|
| 0 or greater | cofumon diviso | | |
| Less than 0 | -1- | | |

For example, if the display contains -0.941863 and you press $\boxed{\text{NUM}} \langle -- \rangle \langle \text{SGN} \rangle$, the calculator displays -1.

You can use the calculator to produce random numbers.

Entering a seed value allows you to reproduce a random sequence.

Generating Random Numbers

You can use the R# function to generate a sequence of uniformly distributed, random decimal numbers between 0 and 1. To use the R# function, press NUM <R#>.

The random number generator begins at a random point and generates a unique sequence. Each time the calculator is turned off and back on, a new random sequence can be generated.

You can also "seed" the generator to produce the same sequence of numbers each time you enter the same seed. To seed the generator:

- Enter a seed number (0 or any number between 1 and 100, not including 100). If you enter numbers outside this range, they duplicate the action of other seed numbers.
- 2. Press INV (R#).

Example

Generate a predictable sequence of random numbers, and then verify the seed will regenerate the same sequence.

| Procedure | Press | Display |
|--------------------------|--------------------------|-------------|
| Clear display | CLEAR | 0. |
| Enter seed value | 8.2 NUM INV <r#></r#> | 8.2 |
| Display random number | <r#></r#> | .5333248654 |
| Display random number | <r#></r#> | .4256753429 |
| Display random number | <r#></r#> | .9490727541 |
| Reenter seed value | 8.2 [NV] <r#></r#> | 8.2 |
| Display random number | <r#></r#> | .5333248654 |

The extended functions consist of three selections that enable you to find roots of quadratic and cubic equations and to access the contents of the system registers.

Menu

The Extended When you press the FUNC key, the following menu Functions appears.

> EXTENDED FUNC OAD CUB SYS

(QAD) Selects quadratic equation roots

Selects cubic equation roots (CUB)

Selects system functions (SYS)

Note: The (SYS) selection provides access to system register contents. You should use this selection only if you have sufficient knowledge of the internal operations of the calculator. Refer to the TI-95 Programming Guide for information concerning the (SYS) selection.

The (QAD) selection requires you to enter the coefficients of your equation. An equation in quadratic form has coefficients a, b, and c:

$$ax^2 + bx + c = 0$$

Select (QAD) from the EXTENDED FUNC menu to display Quadratic Roots the QUADRATIC EQN menu.



- 1. Enter the value of the a coefficient and select (a).
- 2. Enter the value of the b coefficient and select (b).
- 3. Enter the value of the c coefficient and select (c).
- 4. Select (XEQ). One of the menus below is displayed.



- 5. If the roots are real, display the two roots by selecting:
 - (R1) The first real root
 - (R2) The second real root
 - 6. If the roots are complex, display the real and imaginary parts by selecting:
 - (Re) The real part
 - (Im) The imaginary part

The two roots are Re + (Im)i and Re - (Im)i.

(continued)

Finding to of unon **Quadratic Roots** (Continued)

Data registers 000, 001, and 002 are used to store both the inputs and the results. As the values for a, b, and c are entered, they are stored in registers 000, 001, and 002, respectively. After the two roots are determined, they are stored in registers 000 and 001. Register 002 contains a 0 if the roots are real and a 1 if the roots are complex. Therefore, the original inputs are no longer available in the registers.

Example

Quadratic Find the roots of the equation $4.2x^2 + .22x + 8 = 0$.

| Procedure | Press | | Display |
|------------------------|---------------|---------------|-------------|
| Clear display | CLEAR | A | 0. |
| Select quadratic roots | FUNC (QAD) | QUADRATIC EQN | |
| Enter value for a | 4.2 (a) | a= | 4.2 |
| Enter value for b | .22 〈b〉 | b= | 0.22 |
| Enter value for c | 8 (c) | c= | 8. |
| Determine roots | ⟨XEQ⟩ | COMPLEX ROOTS | |
| Display real part | (Re) | Re= | 0261904762 |
| Display imaginary part | <lm></lm> | lm= | 1.379882591 |

The two roots are:

- -.0261904762 + (1.379882591)i
- -.0261904762 -(1.379882591)i

The (CUB) selection requires you to enter the coefficients of your equation. An equation in cubic form has coefficients a, b, c, and d:

$$ax^3 + bx^2 + cx + d = 0$$

Finding Cubic Roots

Select (CUB) from the EXTENDED FUNC menu to display the CUBIC EQN menu.



- 1. Enter the value of the a coefficient and select (a).
- 2. Enter the value of the b coefficient and select (b).
 - 3. Enter the value of the c coefficient and select (c).
 - 4. Enter the value of the d coefficient and select (d).
 - Select (XEQ). Depending on the results, one of the following menus is displayed.



The results are obtained using the procedure on the next page.

Cubic Roots (Continued)

Finding 6. If the roots are real, display the three roots by selecting:

> (R1) The first real root

The second real root (R2)

(R3) The third real root

7. If there are two complex roots and one real root, display the results by selecting:

> (Re) The real part of the complex roots

The imaginary part of the complex roots

(R3) The real root

The complex roots are Re + (Im)i and Re - (Im)i.

Data registers 000, 001, 002, and 003 are used to store both the inputs and the results. As the values for a, b, c, and d are entered, they are stored in registers 000, 001, 002, and 003, respectively. After the three roots are determined, they are stored in registers 000, 001, and 002. Register 003 contains a 0 if all roots are real and a 1 if two of the roots are complex. Therefore, the original inputs are no longer available in the registers.

Cubic Example

Find the roots of the equation $3x^3 + 9x^2 - 9x + 3 = 0$.

| Procedure | Press | | Display |
|------------------------|--------------------------|-------|----------------|
| Clear display | CLEAR | | 0. |
| Select cubic roots | FUNC (CUB) | CUBIC | EQN |
| Enter value for a | 3 (a) | a= | 3. |
| Enter value for b | 9 (b) | b= | 9. |
| Enter value for c | 9 +/- <c></c> | c= | -9 . |
| Enter value for d | 3 (d) | d= | 3. |
| Determine roots | KXEQXIEL | 2 CC | OMPLEX, 1 REAL |
| Display real part | (Re) use | Re= | .4236610509 |
| Display imaginary part | (Im) | Im= | 0.283606001 |
| Display real root | 〈R3〉 | R3= | - 3.847322102 |

The three roots are:

^{-3.847322102}

^{.4236610509+(0.283606001)}i

^{.4236610509 - (0.283606001)}i

Cubic Example

Find the roots of the equation $3x^3 + 9x^2 - 9x + 3 = 0$.

The tlurer roots are:

-3.847322102 .4236610509 - (0.283606001) .4236610509 - (0.283606001)

Chapter 3: Statistics Operations


This chapter describes the calculator's built-in statistics functions. You can enter 1- or 2-variable data and then analyze the data by performing any of several statistics calculations.

Table of Contents

| Location of the Statistics Keys | 3-2 |
|---|------|
| The Statistics Keys | 3-3 |
| Starting a New Statistics Problem | 3-4 |
| Entering and Removing 1-Variable Data | 3-5 |
| Performing 1-Variable Statistics Calculations | 3-6 |
| Example of 1-Variable Statistics | 3-8 |
| Entering and Removing 2-Variable Data | 3-10 |
| Performing 2-Variable Statistics Calculations | 3-11 |
| Example of 2-Variable Statistics | 3-13 |
| Linear Regression | 3-14 |
| Trend-line Analysis | 3-16 |

Location of the Statistics Keys

The keys used to perform statistics functions are shown in the figure below. Familiarize yourself with these keys and their location on the keyboard.



The Statistics Keys malder 9 solitalist 2 weld a painted 2

The Statistics Menu

When you press STAT, the STAT FUNCTIONS menu is displayed. You can then use the function keys to select from the statistics functions shown below.

| STAT F | UNC | TION | IS |
|---------|-----|------|----|
| CLR FRQ | MN | S | -> |

CLR Clears the statistics registers and enables you to select 1- or 2-variable statistics

(FRQ) Enters number of occurrences of identical data values; entered as data when you press
 Σ+, or removed when you press INV Σ+

(MN) Calculates the mean

Datamath Calculates sample standard deviation

[INV] (s) Calculates population standard deviation

<-->> Displays the menu selections shown below

STAT FUNCTIONS m-b r y' SHW -->

<m-b> Calculates slope/intercept (linear regression)

Calculates correlation coefficient (linear regression)

(y') Predicts a y value (linear regression)

INV (y') Predicts an x value (linear regression)

(SHW) Displays sums calculated during data entry

<-->> Displays the previous selections shown above

Starting a New Statistics Problem ave X 2011a11a12 entit

When you start a new statistics problem that does not use any previously entered data values, begin by clearing the statistics registers and selecting 1- or 2-variable statistics. Clearing the statistics registers does not affect any values stored in the calculator's data register memories. However, the t-register is cleared.

of Variables

The Number In 1-variable statistics, a data value is represented as x, where n = 1, 2, ..., N. (N is the total number of data values.)

> In 2-variable statistics, a data value is represented as (x, y). The x value is the independent variable, and the y value is the dependent variable.

Clearing

To clear the statistics registers and select 1- or 2-variable the Registers statistics, use the following procedure.

- 1. Press STAT to display the STAT FUNCTIONS menu.
- 2. Press (CLR). The following menu is then displayed.

SELECT NO VARS

(CS1) 1-variable statistics

2-variable statistics (CS2)

3. Select either 1- or 2-variable statistics.

After you press (CS1) or (CS2), the STAT FUNCTIONS menu is displayed.

Entering and Removing 1-Variable Data

Before performing a statistics calculation, you must enter all the data values into the statistics registers. You can enter the data values individually or enter several identical data values at one time. You can also remove any data values that are entered incorrectly. (An example of entering and removing 1-variable data begins on page 3-8.)

Data Values

Entering The Σ + key enables you to enter data values and display 1-Variable the number of data values accumulated.

To enter a single data value:

- 1. Enter the value.
- 2. Press Σ +.

To enter several identical data values at one time:

- 1. Press STAT, enter the number of data values, and press (FRQ).
- 2. Enter the data value and press Σ +.

Removing 1-Variable Data Values

The INV Σ+ key sequence enables you to remove previously entered data values and display the number of data values that remain.

To remove a value just after you entered it, press INV Σ +.

To remove a data value after pressing any key other than 2nd or INV:

- Reenter the value.
- 2. Press INV Σ+.

To remove several identical data values at one time after pressing any key other than [2nd or INV]:

- 1. Press STAT, reenter the number of data values, and press (FRQ).
- 2. Reenter the data value and press [NV] $[\Sigma+]$.

Note: If you remove more values than you intend, the resulting sum can be negative. To correct this, either reenter the points removed in error or begin again.

Performing 1-Variable Statistics Calculations

After entering data into the statistics registers, you can calculate the mean and standard deviation of the data values. You can also calculate intermediate sums or check the data in the registers. (An example of these calculations begins on palvomer bas on page 3-8.)

the Mean

Calculating The STAT (MN) key sequence calculates the mean (average) of the data values according to the following equation.

$$MN = \frac{\sum x}{n}$$

Calculating the Standard Deviation

The $|STAT| \langle s \rangle$ key sequence calculates the sample (n-1)weighted) standard deviation according to the following equation.

$$s_{n-1} = \sqrt{\frac{n\Sigma x^2 - (\Sigma x)^2}{n(n-1)}}$$

The STAT INV (s) key sequence calculates the population (n weighted) standard deviation according to the following equation.

$$S_n = \sqrt{\frac{n\Sigma x^2 - (\Sigma x)^2}{n^2}}$$

Selection

The Show The STAT <-->> (SHW) key sequence displays a menu that enables you to display intermediate sums or to check the data in the registers.

| | 001 20 1 | 75 S6 93 94 93 95 |
|---|----------|-----------------------------|
| SI | HOW STAT | |
| n | Sx Sxx | Lfr Lx |
| ⟨n⟩ | Disn | lays number of data values |
| (117 | Disp | lays humber of data variace |
| ⟨Sx | Displ | lays sum of data values |
| - <sx< td=""><td>x> Disp</td><td>lays sum of the squares</td></sx<> | x> Disp | lays sum of the squares |
| <lfr< td=""><td>) Displ</td><td>lays last entered frequency</td></lfr<> |) Displ | lays last entered frequency |
| Dalla | Disp | lays last entered value |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Example of 1-Variable Statistics

The following example shows you how to apply the information given in the previous three sections concerning 1-variable data. The example is divided into two parts. Part 1 shows you how to enter and remove the data. Part 2 shows you how to perform calculations and review the data.

Example Enter the data values listed below. (Be sure to remove (Part 1) any values that are entered incorrectly.)

75 86 93 93 93 93 98 100

| Procedure | Press | Disp | lay |
|--|------------------------|----------------|-----|
| Clear display | CLEAR | | 0. |
| Clear registers and select 1-variable | STAT (CLR) (CS1) | STAT FUNCTIONS | |
| Begin data entry | 75 Σ+ | n= | 1. |
| Enter incorrect value for later removal | 85 Σ+ ner | n = | 2. |
| Enter correct value | 86 Σ+ | n=n | 3. |
| Enter incorrect repeated values | 4 ⟨FRQ⟩ 94 Σ+ | n= | 7. |
| Remove values | ΙΝV Σ+ | n= | 3. |
| Enter repeated values correctly | 4 ⟨FRQ⟩ 93 Σ+ | n= | 7. |
| Enter remaining data | 98 Σ+ | n= | 8. |
| | 100 Σ+ | n= | 9. |
| Remove earlier incorrect value | 85 INV Σ+ | n= | 8. |

(Part 2)

Example Calculate the mean, population standard deviation. sum, and sum of the squares of the data entered in Part 1. Then check the data to find the total number of data values, the last data value entered, and the frequency of the last data value entered.

| Procedure | Press | | Display |
|----------------------------------|-----------------------|------|-------------|
| Mean | <mn></mn> | MNx= | 91.375 |
| Population standard deviation | INV (s) | sx= | 7.296189074 |
| Select show option | <>> <shw></shw> | SHOW | STAT REGS |
| Sum 2010 Joerg V | (Sx) | Sx= | 731. |
| Sum of squares CU at | ⟨s _{xx} ⟩USe | Sxx= | 67221. |
| Number of data values | <n></n> | n= | 8. |
| Last entered value | ⟨Lx⟩ | Lx= | 100. |
| Last entered frequency | 〈Lfr〉 | Lfr= | 1. |

Entering and Removing 2-Variable Data

You enter 2-variable data in much the same way as previously described for 1-variable data. With two variables, however, you must use the xot key to store the x value. Before starting a new problem, be sure to select the number of variables and clear the statistics registers as described on page 3-4.

Data Values

Entering Each time you enter a data pair, the calculator displays 2-Variable the number of pairs accumulated.

To enter a single data pair:

- 1. Enter the x value and press $x \sim t$.
- 2. Enter the y value and press Σ +.

To enter several identical data pairs at one time:

- 1. Press STAT, enter the number of pairs, and press (FRQ)
- 2. Enter the x value and press x~t, and then enter the y value and press Σ +.

Removing 2-Variable Data Values

To remove a pair just after you enter it, press [NV] $[\Sigma+]$. All pairs determined by the last frequency are removed, and the number of pairs remaining is displayed.

To remove a pair after pressing a key other than 2nd or INV:

- 1. Reenter the x value and press x~t.
- 2. Reenter the y value and press [NV] $[\Sigma+]$.

To remove several identical data pairs at one time after pressing any key other than 2nd or INV:

- 1. Press STAT, reenter the number of pairs, and press (FRQ).
- 2. Reenter the x value and press x~t.
- 3. Reenter the v value and press [NV] $[\Sigma+]$.

Note: If you remove more values than you intend, the resulting sum can be negative. To correct this, either reenter the points removed in error or begin again.

Performing 2-Variable Statistics Calculations

After entering the statistics data values, you can analyze the data in the statistics registers by performing any of the calculations shown below. (An example of these calculations is given on page 3-13.)

Calculating To calculate the mean (average) of the data values, press the Mean STAT (MN), significant segrential states and

- ► The mean of the y values appears in the display.
- The mean of the x values is stored in the t-register. Press | x~t | to display the number.

Calculating the Standard Deviation

To calculate the sample (n-1 weighted) standard deviation, press STAT (s).

- ► The sample standard deviation of the y values appears in the display.
- ► The sample standard deviation of the x values is stored in the t-register. Press | x~t | to display the number. Calculator Museum

To calculate the population (n weighted) standard deviation, press STAT INV (s).

- ► The population standard deviation of the y values appears in the display.
- ► The population standard deviation of the x values is stored in the t-register. Press x~t to display the number.

(continued)

The Show Selection

The STAT <-->> \SHW> key sequence displays a menu that enables you to display intermediate sums or to check the data in the registers.



SHOW STAT REGS
Sxy Sx Sxx Lfr -->

- (n) Displays total number of data pairs
- (Sy) Displays sum of the y values
 - (Syy) Displays sum of the squares of the y values
- Displays last entered y value and places last entered x value in t-register
- Sxy Displays sum of the products of x and y
 - (Sx) Displays sum of the x values
 - (Sxx) Displays sum of the squares of the x values
 - \(\Lfr\) Displays last entered frequency

The following example shows you how to apply the information given in the previous sections concerning 2-variable data.

Example

Enter the following data pairs, and then calculate the mean and sample standard deviation.

| (101.3, 609) | (103.7, 626) | (98.6, 586) | | | | | |
|--------------|--------------|--------------|--|--|--|--|--|
| (99.9, 594) | (97.2, 579) | (100.1, 605) | | | | | |

| Procedure | Procedure Press | | | | | |
|--|----------------------------------|--------|----------------------------|--|--|--|
| Clear display | CLEAR | T | 0. | | | |
| Clear registers and select 2-variable | STAT ⟨CLR⟩ ⟨CS2⟩ | STAT F | FUNCTIONS | | | |
| Begin data entry | 101.3 x∼t 609 Σ+ | n = | Correlation Positicient | | | |
| atamath Qalcul | 103.7 x∼t 626 Σ+ | ehm | 2. | | | |
| of the data. However, as r decreases. | 98.6 <u>x~t</u> 586 <u>Σ+</u> | n= | 3. | | | |
| | 99.9 x~t 594 Σ+ | n= | 4. | | | |
| y value, enter an x valu | 97.2 <u>x~t</u> 579 Σ+ | n= | 5. | | | |
| n x value, enter a y valu | 100.1 x~t 605 Σ+ | n= | 6. | | | |
| Mean of y values | <mn></mn> | MNy= | 599.8333333 | | | |
| Mean of x values | x∿t | À | 100.1333333 | | | |
| Sample standard deviation of y values | (s) | sy= | 17.05774506 | | | |
| Sample standard deviation of x values | x∿t | Sa | 2.240238083 | | | |

Linear regression analysis calculates a straight line that best represents the relationship between two variables for which measurements are made in ordered pairs.

Calculating Slope and Intercept

To calculate the slope (m) and the y-intercept (b) of the representative line, press $\overline{\text{STAT}}$ $\langle m-b \rangle$.

- ► The slope appears in the display.
- ► The y-intercept is stored in the t-register. Press x~t to display the number.

The representative line is:

y = mx + b

Calculating the Correlation Coefficient

To calculate the correlation coefficient, press STAT <r>. The correlation coefficient is a measure of how well the representative line fits the two sets of data values.

When the $|\mathbf{r}|$ is close to 1, most of the data is on or very near the line, in which case the line is highly representative of the data. However, the validity of the line diminishes as $|\mathbf{r}|$ decreases.

Calculating a Predicted Value

If $|{\bf r}|$ is close to 1, you can use the equation of the line to make valid predictions about additional data.

- ► To predict a y value, enter an x value and press ⟨y'⟩.
- ► To predict an x value, enter a y value and press INV ⟨y'⟩.

Example

A life insurance company has found that the volume of sales varies according to the number of salespeople employed, as shown below.

Number of salespeople (x) 7 12 4 5 11 9 Sales in thousands/mo. (y) 99 152 81 98 145 112

(continued)

Example (Continued)

Perform a linear regression analysis and predict the number of salespeople needed to produce \$115,000 in monthly sales. Then estimate the amount of sales that should be generated by 10 salespeople.

| Procedure | Press | | Display |
|---|------------------------|------|-------------|
| Clear display | CLEAR | | 0. |
| Clear registers and select 2-variable | STAT ⟨CLR⟩ ⟨CS2⟩ | STAT | FUNCTIONS |
| Begin data entry | 7 x∿t 99 Σ+ | n= | 1. |
| © 2010 Joer | 12 x∿t 152 Σ+ | n= | 2. |
| pair justalier it is end | 4 x~t 81 Σ+ | on= | gnivom 3. |
| culator removes the la y decrements the com | 5 x~t 98 Σ+ | n= | 4. |
| try at a later time, use | 11 x~t 145 Σ+ | n= | 5. |
| tering and removing in he following annual m | 9 x~t 112 Σ+ | n= | 6. |
| Slope(m) | <>> ⟨m-b⟩ | m = | 8.423076923 |
| y-intercept (b) | x∿t | 197 | 47.11538462 |
| Correlation coeff. | <r></r> | r= | .9630910446 |
| Projected sales for 10 people | 10 ⟨y'⟩ | y' = | 131.3461538 |
| Number of people needed for \$115,000 | 115 INV ⟨y'⟩ | x'= | 8.059360731 |
| 77 h | 31 | 2/2/ | |

The equation 8.42x + 47.12 describes the representative line, with a correlation coefficient of 0.96.

In a trend-line analysis, you are performing a linear regression calculation on data that is collected at regular, sequential intervals. Each new x value is one greater than the previous x value. The calculator automatically increments the initial value of x so that you do not have to enter subsequent x values.

the Data

Entering To enter data for a trend-line analysis:

- 1. Enter the first data value as described in "Entering and Removing 2-Variable Data."
 - ► Enter x and press x~t.
 - ightharpoonup Enter y and press $\Sigma +$.
 - 2. Enter only the v value for the remaining data values. The calculator automatically enters the corresponding x.

Note: If any of the remaining data values are not sequential, be sure to reenter the new x value.

A trend line applies only to single occurrence data, so the (FRQ) key is not part of trend line data entry.

Removing Data

To remove a data pair just after it is entered, press INV Σ +. The calculator removes the last x and y values and automatically decrements the contents of the tregister in preparation for the next entry.

To remove an entry at a later time, use the procedure described in "Entering and Removing 2-Variable Data."

Example

A company has the following annual profits:

| Year (x) | Profit in Millions (y) |
|----------|------------------------|
| 1971 | -2.1 |
| 1972 | -03 |
| 1973 | 0.8 |
| 1974-80 | inactive |
| 1981 | 2.9 |
| 1982 | 2.8 |
| 1983 | 3.6 |
| 1984 | 4.0 |
| 1985 | 4.7 |

(continued)

Example (Continued)

Use the data on the previous page to perform a trendline analysis. How much profit can the company expect to make in 1986, and when will it break the \$6 million mark?

| Procedure | Press | | Display |
|---------------------------------------|------------------------|--------|-------------|
| Clear display | CLEAR | | 0. |
| Clear registers and select 2-variable | STAT 〈CLR〉 〈CS2〉 | STAT F | FUNCTIONS |
| Initial value of x (1971) | 1971 x∼t 2.1 | | |
| © 2010 Joerg | +1- Σ+ | n= | 1. |
| 1972 profit | .3 +/- Σ+ | n= | 2. |
| 1973 profit | .8 Σ+ | n= | 3. |
| Skip to 1981 | 1981 x∿t 2.9 Σ+ | n= | 4. |
| 1982 profit | 2.8 Σ+ | n= | 5. |
| Incorrect 1983 profit | 3.4 Σ+ | n= | 6. |
| Remove last entry | ΙΝV Σ+ | n= | 5. |
| 1983 profit | 3.6 Σ+ | n= | • 6. |
| 1984 profit | 4 Σ+ | . n = | 7. |
| 1985 profit | 4.7 Σ+ | n= | 8. |
| Correlation | <>> <r></r> | r= | .9652421505 |
| 1986 prediction | 1986 〈y'〉 | y'= | 4.82244898 |
| Year of \$6 million profits | 6 [NV <y'></y'> | x' = | 1989.026224 |

Example

Use the data on the provious page to perform a trendline analysis. How much profit can the company expect to make in 1988, and when will it break the \$5 million mark?

| 3.6 <u>X+</u> = a 8 | |
|---------------------|--|
| | |
| | |
| | |
| | |
| | |

Chapter 4: Conversions


This chapter shows you how to use the calculator's built-in conversion functions. You can perform metric, degree format, angle, polar/rectangular, and base number conversions. By changing the base number mode, you can also perform calculations with octal or hexadecimal numbers.

Table of Contents

| Location of the Conversion Key | 8 | | | | | | | | | | 4-2 |
|--------------------------------|---|---|--|--|--|---|-------|---|--|-----|------|
| Using the CONV Key | | | | | | | | | | | 4-3 |
| Metric Conversions | | | | | | | | | | | 4-4 |
| Degree Format Conversions | | | | | | 4 | * | Y | | 173 | 4-6 |
| Angle Conversions | | | | | | | | | | | |
| Polar/Rectangular Conversions | | 1 | | | | | | | | | 4-10 |
| Base Conversions | | | | | | | | 2 | | 23 | 4-12 |

Location of the Conversion Keys

The keys used to perform conversions are shown in the figure below. Familiarize yourself with these keys and their location on the keyboard.



To perform the conversions described in this chapter, you must begin by pressing the CONV key to display the CONVERSIONS menu. Pressing CONV redefines the function keys and enables you to select from a variety of conversions.

The Conversions Menu

When you press CONV, the CONVERSIONS menu is displayed.

CONVERSIONS
MET DMS ANG P-R BAS

<MET> Metric conversions

degrees conversions

INV (DMS) Decimal degrees to degrees/minutes/

seconds conversions

⟨ANG⟩ Angle conversions

(P-R) Polar to rectangular conversions

INV (P-R) Rectangular to polar conversions

(BAS) Base conversions

Selecting < MET> from the CONVERSIONS menu displays another menu that enables you to select the type of metric conversion you want to perform. You can convert from English to metric units or (by using the INV key) from metric to English units.

Using Metric

To perform metric conversions:

- 1. Press CONV to display the CONVERSIONS menu.
- Press (MET) to display the menu for metric conversions.



- 3. Enter the number you want to convert.
- Press the appropriate key sequence listed below. The converted value then appears in the display.

| | Joeld Agellier |
|-----------------|-----------------------|
| ⟨F-C⟩ | Fahrenheit to Celsius |
| INV (F-C) | Celsius to Fahrenheit |
| ⟨G-L⟩ | Gallons to liters |
| INV (G-L) | Liters to gallons |
| <#-K> | Pounds to kilograms |
| INV <#-K> | Kilograms to pounds |
| ⟨i-m⟩ | Inches to millimeters |
| INV ⟨i−m⟩ | Millimeters to inches |
| ⟨f−M⟩ | Feet to meters |
| INV <f-m></f-m> | Meters to feet |
| | |

Example Convert 212° Fahrenheit to Celsius, 284 pounds to kilograms, and 1000 meters to feet.

| Procedure | Press | | Display |
|--------------------------------------|-------------------|-------------|-------------|
| Clear Display | CONV | 14 | 0. |
| Select Conversions menu | CONV | CONVERSIONS | |
| Select Metric menu | (MET) | METRIC | |
| Celsius equivalent of 212° F | 212 〈F-C〉 | C= | 100. |
| Number of kilograms in 284 pounds | 284 〈#-K〉 | K= | 128.8202331 |
| Number of feet in 1000 meters | 1000 INV (f-M) | Ift] | 3280.839895 |

Degree Format Conversions

Selecting (DMS) from the CONVERSIONS menu converts the degree format of the angle in the display to decimal degrees. When angles are measured in degrees/minutes/seconds, you must convert the angles to decimal degrees before you can add them or use them in trigonometric calculations. (This also applies to hours/minutes/seconds versus decimal hours.)

DMS Format In the degrees/minutes/seconds (DMS) format, an angle is expressed as D.MMSSsssss.

> D.MMSSsssss Integer degrees (°)-Minutes(')-Seconds(")-Fractional part of a second

When you enter minutes and seconds, remember to include zeros where needed to place the digits in the proper positions. You do not need to enter trailing zeros. For example, the angle 9°7'5" is entered as 9.0705.

Decimal **Degrees Format**

In the decimal degrees format, an angle is expressed as D.ddddddddd.

D.ddddddddd Integer degrees -Fractional part of a degree

You do not need to enter trailing zeros.

Converting Between the **Formats**

To perform degree format conversions, follow these steps. (Although these angles are expressed in degrees, the calculator does not have to be in the degree mode when you perform the conversions.)

- 1. Press CONV to display the CONVERSIONS menu.
- 2. Enter the angle you want to convert.
- 3. Press the appropriate key sequence listed below. The converted value then appears in the display.

| Conversion | Key Sequence | |
|------------------------|--------------|--|
| DMS to decimal degrees | ⟨DMS⟩ | |
| Decimal degrees to DMS | INV (DMS) | |

Example 1

Calculate the sum of the angles $42^{\circ}\,6'\,59.5''$ and $101^{\circ}\,54'\,0.8''$. Before adding the angles, convert them to decimal degrees. Convert the result back to DMS format.

| Procedure | Press | | Display |
|---|----------------------------|-------------|-------------|
| Clear display | CLEAR | | 0. |
| Select Conversions menu | CONV | CONVERSIONS | |
| Enter angle and convert to decimal | 42.06595 〈DMS〉 | D.d = | 42.11652778 |
| Add other angle after converting to decimal | + 101.54008 <dms></dms> | D.d= | 101.9002222 |
| Calculate result | wermer . | 191 | 144.01675 |
| Display result in DMS | (DMS) | DMS= | 144.01003 |

The result is 144° 1'0.3".

Example 2

Calculate $\cos 27^{\circ} 50' 16.2''$. Because you are using a trigonometric function, the calculator must be in the degree mode.

| Procedure | Press | | Display |
|------------------------------------|-------------------|-----------------------|-------------|
| Clear display | CLEAR | | |
| Select Conversions menu | CONV | CONVERSIONS DEG MODE | |
| Select degree mode | INV 2nd [DRG] | | |
| Enter angle and convert to decimal | 27.50162 〈DMS〉 | D.d = | 27.83783333 |
| Calculate cosine | cos | | .8842728197 |

Selecting (ANG) from the CONVERSIONS menu displays another menu that enables you to select the type of angle conversion you want to perform. You can convert an angle in degrees, radians, or grads to its equivalent angle in any of the other units. Unlike 2nd [DRG], these conversions do not affect the current setting of the calculator's angle mode.

Using Angle Conversions

To perform angle conversions:

- 1. Press CONV to display the CONVERSIONS menu.
 - Press (ANG) to display the menu for angle conversions.

ANGULAR D-R D-G R-G

- 3. Enter the angle you want to convert.
 - 4. Press the appropriate key sequence listed below. The converted value then appears in the display.

Degrees to radians

INV (D-R) Radians to degrees

(D-G) Degrees to grads

INV (D-G) Grads to degrees

(R-G) Radians to grads

INV (R-G) Grads to radians

Example

Convert 90° to radians, grads, and then back to degrees.

| Procedure | Press | | Display | | | | |
|--|--|-------------|---------|--------------------|----------|-------|-------------|
| Clear display Select Conversions menu Select angle conversions | CONV (ANG) | CONVERSIONS | | | | | |
| | | | | Degrees to radians | 90 〈D-R〉 | Rad = | 1.570796327 |
| | | | | Radians to grads | (R-G) | Grd = | 100. |
| Grads to degrees | INV (D-G) | Deg = | 90. | | | | |
| | Annual Control of the | | | | | | |

Polar/Rectangular Conversions

Selecting <P-R> from the CONVERSIONS menu performs polar/rectangular conversions. You can convert a pair of coordinates from the polar coordinate system to the rectangular coordinate system or vice versa. The t-register is used to store one of the two coordinates required for the conversion.

Polar to bot shed Rectangular Conversions

To convert from polar (r, θ) to rectangular (x,y) coordinates:

- 1. Press CONV to display the CONVERSIONS menu.
- 2. Use 2nd [DRG] to select the correct angle mode (degree, radian, or grad).
- Enter the r-coordinate and press xt to store it in the t-register.
- 4. Enter the θ -coordinate.
- 5. Press (P-R) to display the y-coordinate.
- 6. Press $x \sim t$ to display the x-coordinate.

Until you enter another number into the display, pressing $\boxed{x\sim t}$ alternates between the x- and y- coordinates.

Rectangular to Polar Conversions


To convert from rectangular (x,y) to polar (r,θ) coordinates:

- 1. Press CONV to display the CONVERSIONS menu.
- 2. Use **2nd** [DRG] to select the correct angle mode (degree, radian, or grad).
- 3. Enter the x-coordinate and press x∼t to store it in the t-register.
- 4. Enter the y-coordinate.
- 5. Press $|NV| \langle P-R \rangle$ to display the θ -coordinate.
- 6. Press x~t to display the r-coordinate.

Until you enter another number into the display, pressing $\boxed{\mathbf{x} \sim \mathbf{t}}$ alternates between the r- and θ -coordinates.

Example

Convert the rectangular coordinates (x=5, y=6) to polar coordinates.



| Procedure Calcula | It Press USE | | Display |
|----------------------------|--------------|----------|-------------|
| Clear display | CLEAR | | 0. |
| Select Conversions menu | CONV | CONVE | RSIONS |
| Select degree mode | [DRG] | DEG MODE | |
| Enter x and y | 5 x~t 6 | | 6 |
| Display θ-coordinate | INV (P-R) | Ang = | 50.19442891 |
| Display r-coordinate | x∼t | | 7.810249676 |

The rectangular coordinates (5,6) convert to the polar coordinates $(7.810249676,50.19442891^\circ)$.

Selecting <BAS> from the CONVERSIONS menu displays another menu that enables you to change the number base used for display. Like the other conversions, <BAS> lets you convert the number in the display. However, after you select one of the base number modes, the calculator displays all results in the selected base.

Using Base Conversions

When you select (BAS) from the CONVERSIONS menu, the following selections are displayed.

BASE CONVERSIONS DEC HEX OCT 2sC UNF

(DEC) Decimal number base

(HEX) Hexadecimal number base

(OCT) Octal number base

(2sC) Two's complement notation

INV (2sC) Signed notation

(UNF) Unformatted mode

These selections are described on the following pages.

(Base 10)

Decimal Pressing (DEC) converts the displayed number to its decimal equivalent and places the calculator in the decimal mode. (The calculator is in the decimal mode when you first turn it on. You only need to press (DEC) if you have previously pressed (HEX), (OCT), or (UNF).)

The digits 0-9 may be entered in the decimal mode.

Hexadecimal Pressing (HEX) converts the displayed number to its (Base 16) hexadecimal equivalent, places the calculator in the hexadecimal mode, and lights the HEX status indicator in the display.

The digits 0-9 and the letters A-F may be entered in the hexadecimal mode. In hexadecimal mode, special second functions, labeled A_H-F_H, are used instead of the alpha characters A-F for number entries.

Octal (Base 8)

Pressing (OCT) converts the displayed number to its octal equivalent, places the calculator in the octal mode, and lights the OCT status indicator in the display.

The digits 0-7 may be entered in the octal mode.

Hexadecimal and The following rules apply to the calculation accuracy of Octal Accuracy number conversions.

- ► The conversion to hexadecimal or octal is made on the rounded integer value of the number entered in decimal mode. This rounding does not affect internal accuracy.
 - A value you enter in the hexadecimal or octal mode must be an integer and not exceed 10 digits.
 - Hexadecimal and octal numbers that are out of range of the display format appear as ********.
- ► Hexadecimal and octal results are maintained to 13 decimal digits internally.

(continued)

and Signed

Two's In the hexadecimal and octal modes, you can select how Complement negative numbers are displayed and entered.

- Notation Pressing (2sC) causes numbers to be displayed in two's complement notation. In this notation, the most significant bit is the sign bit, so the range of numbers that can be displayed in hexadecimal or octal mode is smaller. Negative numbers are displayed without a minus sign, but they can be entered as negative numbers using either of two methods. You can set the most significant bit for a negative number or press the +/- key. If you use the +/- key, it must be pressed after you complete the number entry. When you press the +1- key after pressing (2sC), the number in the display is immediately converted to its two's complement hexadecimal or octal equivalent (depending on which has been selected).
- ► Pressing INV (2sC) causes negative numbers to be displayed as the positive form preceded by a minus sign. (The calculator is in signed notation when you first turn it on. You only need to select this notation if you have previously selected two's complement.) With signed notation, you must use a minus sign when entering negative numbers. Pressing +/- in signed notation displays (or removes) the minus sign.

Unformatted Pressing (UNF) converts the calculator to the Mode unformatted mode, allowing you to display and enter data-register contents in internal hexadecimal form.

> This mode is not convenient for numeric applications. It is useful mainly to programmers because it simplifies the entry of hexadecimal values, such as those used during I/O (input/output) operations involving certain external devices.

For information on using the unformatted mode, refer to Appendix A of the TI-95 Programming Guide.

Example 1

Convert the decimal number 4095.6 to its octal and hexadecimal equivalents and then back to decimal.

| Procedure | Press | Display |
|--|-----------------|------------------|
| Clear display | CLEAR | 0. |
| Select Conversions menu | CONV | CONVERSIONS |
| Select base menu | ⟨BAS⟩ | BASE CONVERSIONS |
| Convert rounded integer portion to octal | 4095.6 〈OCT〉 | 10000. |
| Convert to hexadecimal | (HEX) | 1000. |
| Return to decimal mode | (DEC) | 4095.6 |

Example 2

Convert the decimal number 10 to hexadecimal. Next, add FF to the number and convert the result to its two's complement. Then convert the result to its decimal equivalent.

| Procedure | Press | Display |
|----------------------------|---|------------------|
| Clear display | CLEAR | 0. |
| Select Conversions menu | CONV | CONVERSIONS |
| Select base menu | ⟨BAS⟩ | BASE CONVERSIONS |
| Convert to hexadecimal | 10 〈HEX〉 | Α. |
| AddFF | 2nd [F _H] 2nd [F _H] | 109. |
| Two's complement | ⟨2sC⟩ +/- | FFFFFFFF7. |
| Decimal equivalent | (DEC) | − 265. |
| Decimal equivalent | (DEC) | -2 |

elomex3

Convert the decimal number 4005.5 to its octal and hexadecimal equivalents and then back to decimal.

Example 2

Convert the decimal number 10 to hexadecimal. Next, gdd FF to the number and convert the result to its two's complement. Then convert the result to its decimal equivalent.

Chapter 5: Memory Operations


By using the data registers of the calculator, you can store, recall, and perform other operations on large amounts of numeric data. Data that you store in data registers is not lost when you turn the calculator off.

Table of Contents

| Location of the Memory Keys | 5-2 |
|--|------|
| Introduction | 5-3 |
| Clearing Data Registers | 5-4 |
| Storing and Recalling Data | 5-5 |
| Addressing Methods | 5-6 |
| The t-Register | 5-7 |
| Memory Arithmetic | 5-8 |
| The state of the s | 5-10 |
| Exchanging Values | |
| Listing | 5-12 |

Location of the Memory Keys

The keys used to perform memory operations are shown in the figure below. Familiarize yourself with these keys and their location on the keyboard.



You can use a segment of the TI-95 memory to hold numeric values while you perform calculations with other values. You can also perform some math operations on values stored in memory.

Types of Memory

The TI-95 memory is divided into data registers, program memory, and file space. Data registers are discussed in this chapter. Program memory and file space are discussed in the *TI-95 Programming Guide*. Although you can specify the amount of memory allocated to each of the three types of memory, the default allocations are adequate for most needs.

Data Registers

The first time you turn the calculator on, $125\,\mathrm{data}$ registers (numbered $000\,\mathrm{through}\,124$) are available for storage.

Each data register can hold a numeric value or alphanumeric characters. This chapter discusses only storing, recalling, and manipulating numeric data. Operations involving alphanumeric characters are discussed in the *TI-95 Programming Guide*.

Clearing Data Registers

Before beginning a task in which you will use data registers, you should consider clearing (setting to zero) the contents of the registers you will use. You can clear all data registers or a single data register.

Clearing All Registers

The key sequence <code>[2nd]</code> [CMS] enables you to set to zero all memory currently allocated to data registers. Because this function clears the contents of all data registers, you should ensure there is no vital data stored in any registers before using it.

Clearing a Single Register

By storing a 0 in a data register, you can clear that register without affecting the contents of other registers.

Storing and recalling numbers are two of the most often-used memory functions.

Storing Data The STO key followed by the data register address stores the currently displayed value in the register.

Because storing a value does not complete any pending operations, you can store a value you are entering into an expression or an intermediate result.

Example Calculate 3×4.5² and store the intermediate result of 4.5² in data register 004.

| Procedure | Press | Display |
|--------------------------------|--------------------|---------|
| Clear display | CLEAR | 0. |
| Begin expression | 3 × | 3. * |
| Evaluate 4.5 ² | 4.5 x ² | 20.25 |
| Store 20.25 in register 004 | STO 004 | 20.25 |
| Display result | refer to the set 2 | 60.75 |

Recalling Data

The RCL key displays the value stored in a specified register. (You can use the recall function to enter a stored value into an expression.)

Example

Multiply by 6 the value previously stored in data register 004.

| Procedure | Press | Disp | lay |
|---------------------|---------|-------|-----|
| Clear display | CLEAR | 0. | |
| Begin expression | 6 × | 6. | * |
| Recall stored value | RCL 004 | 20.25 | |
| Display result | = | 121.5 | |

Because there are many data registers, each memory function requires you to specify which register you wish to use. You can use several methods to address a particular data register. If you make a mistake while entering the address or any other field, press HELP, CLEAR, or OFF / ON to cancel the entry, and then reenter the field correctly.

Addressing

Long-Form In the examples on the previous page, a three-character field is used to address a particular data register (004). When you use such long-form addressing, you must include all three characters, including leading zeros for addresses less than 100.

Short-Form Addressing

When referring to a data register whose address is less than 100, you can reduce keystrokes by omitting any leading zeros in the field. The calculator supplies the leading zeros when you press any key other than HELP, CLEAR, OFF / ON, or a number (digit) key.

For example, to use short-form addressing to recall the contents of data register 004 and add 12.3, press RCL 4 + 12.3 = . (When you press +, the 4 is accepted as the entire field for data register 004.)

Alphabetic Addressing

You may find it easier to remember an alphabetic letter than a number. You can use the letters A through Z to refer to the first 26 data registers (000 through 025). When you use such alphabetic addressing, the memory operation is completed as soon as you enter the letter.

For example, to recall the contents of data register D (register address 003), press RCL D.

Indirect Addressing

An addressing method used primarily in programming is indirect addressing. This method lets you refer to a particular data register by storing its register address in a second data register.

Indirect addressing is discussed in detail in the TI-95 Programming Guide.

Although the t-register (temporary register) is used primarily In statistics and polar/rectangular conversions, you can use It for temporary storage of a numeric value. When using the t-register for temporary storage, you should be aware of some characteristics that make this register different from a data belowless register. The add you office the

Using the t-Register

The x-t key enables you to quickly exchange (swap) the displayed value with the value in the t-register. Because this operation requires only one keystroke to store or recall a value, you may occasionally find it more convenient than using a data register.

Example Using the t-register, calculate $2.77^{3.55-2.77} + 3.55$.

| Procedure | Press | Display |
|---|----------------|---------------|
| Clear display | CLEAR | 0. |
| Begin calculation | 2.77 yx | 2.77 y^x |
| Store 2.77 in t-register and loop continue problem | x∿t (⊖ | 3.55 – |
| Store 3.55, restore 2.77 to display | x~t | 2.77 |
| Perform subtraction, then exponentiation | The key sequer | 2.213778778 + |
| Restore 3.55 to display | x~t | 3.55 |
| Display result | = | 5.763778778 |
| | | |

Limitations

The operation of the t-register is different from that of a data register. Remember the following limitations.

- You lose any value stored in the t-register if you turn off the calculator or perform any functions that use the t-register, such as statistics functions or polar/rectangular conversions.
- ► You cannot perform memory arithmetic, increment, or decrement operations using the t-register.

Memory Arithmetic

Memory arithmetic can reduce keystrokes by letting you both perform a calculation and store its result using a single operation. Because memory arithmetic does not disturb the original displayed value and does not complete any pending operations, you can use it while entering an expression without affecting the way the expression is evaluated.

Data Register Addition

The key sequence STO + followed by the address of a data register adds the displayed value to the contents of the specified register.

For example, if the display contains the value 1000 and data register 000 contains the value 234, the key sequence $\boxed{\texttt{STO}}$ $\boxed{+}$ 000 leaves the sum 1234 in data register 000.

Data Register Subtraction

The key sequence **STO** $\overline{}$ followed by the address of a data register subtracts the displayed value from the contents of the specified register.

For example, if the display contains the value 1000 and data register 000 contains the value 1234, the key sequence $\boxed{\texttt{STO}} \bigcirc 000$ leaves the difference 234 in data register 000.

Data Register Multiplication

The key sequence **STO x** followed by the address of a data register multiplies the contents of the specified register by the displayed value and stores the product in the register.

For example, if the display contains the value 1000 and data register 000 contains the value 234, the key sequence 570×000 leaves the product 234000 in data register 000.

Data Register Division

The key sequence **STO** + followed by the address of a data register divides the contents of the specified register by the displayed value and stores the quotient in the register.

For example, if the display contains the value 1000 and data register 000 contains the value 234000, the key sequence $\boxed{\$70} + 000$ leaves the quotient 234 in data register 000.

Example

The following example demonstrates each of the four memory arithmetic functions.

| Procedure | Press | Display |
|---|------------------|---------|
| Clear display | CLEAR | 0. |
| Store 25 in register 000 | 25 STO 000 | 25. |
| Add 215 to register 000 (register 000 now contains 240) | 215 STO + 000 | 215. |
| Subtract 200 from register 000 (register 000 now contains 40) | 200 STO | 200. |
| Multiply register 000 by 2 (register 000 now contains 80) | 2 STO × 000 | 2. |
| Divide register 000 by 4 (register 000 now contains 20) | 4 STO + 000 | 4. |
| Verify contents of register 000 | RCL 000 | 20. |

Incrementing and Decrementing a Register

You can add one to or subtract one from the contents of a register using the INCR function.

Increment and Decrement

The TI-95 includes specialized forms of data-register addition and subtraction. The <code>INCR</code> key increments the contents of a register by one and the key sequence <code>INV</code> <code>INCR</code> decrements the contents of a register by one.

Example

The following example demonstrates the use of the INCR function.

| con lovel as | OOO west single | |
|---|-----------------|----------------|
| Procedure | Press | Display |
| Clear display | CLEAR | 0. |
| Store 1234 in register 000 | 1234 STO 000 | 1234. |
| Increment register 000 by two using short-form addressing | INCR 0 | INC 0 INC 0 |
| Recall register 000 contents | RCL 000 | 1236. |
| Decrement register 000 by one using short-form addressing | INV INCR 0 | INV INC _ 0 |
| Recall register 000 contents | RCL 000 | 1235. |

In addition to storing, recalling, and performing memory arithmetic, you can exchange the displayed value with a stored value.

Exchanging

The EXC key followed by the address of a data register exchanges the displayed value with the value stored in the specified register.

Exchanging values can eliminate the need to perform separate store and recall operations.

Example

Evaluate $x^2 + 4xy + 2y^2$ where x = .25 and y = 1.2. (This example uses alphabetic addressing.)

| Procedure | Press | Disp | lay |
|-------------------------------|----------------|--------|-----|
| Clear display | CLEAR | 0. | |
| Store x | .25 STO A | 0.25 | |
| Evaluate x ² | 0 x2 + 10 | 0.0625 | + |
| Enteryath Calcu | latız x luseum | 1.2 | * |
| Store y, recall x | EXC A | 0.25 | |
| Evaluate x ² + 4xy | × 4 + | 1.2625 | + |
| Recall y | 2 × RCL A | 1.2 | |
| Evaluate y ² | X ² | 1.44 | |
| Display result | second Euse. | 4.1425 | |
| | | | |

You may want to know the contents of a series of data registers or the status of the calculator. The LIST function provides you with this capability. You can also list programs and labels as explained in *The TI-95 Programming Guide*. If you have a PC-324 printer, you can print the listing. For more information, refer to Chapter 6, "Using an Optional Printer."

Listing Data Registers

To list the contents of a series of data registers:

1. Press LIST. The display shows the list options.



- Enter the address of the first register to list. If you do not enter an address, the list begins at register 000 each time you press the LIST key.
- 3. Select (REG).

Beginning with the specified register, the calculator lists the addresses and contents at a one-second rate.

If you do not have a printer connected, you can use the key to control the speed of the displayed listing.

- ► To pause the listing indefinitely, hold down the key.
- To advance through the listing without the onesecond pause, repeatedly press and release the
 key.

Listing the Calculator Status

Press LIST (ST) to list the current calculator status.

The calculator lists the current partition settings and each parameter that is not currently set to its default setting. (Parameters that are currently set to their default settings are not listed.)

The list is displayed at a one-second rate. You can use the key to control the speed of the listing.

If you have a PC-324 printer attached, the listing is also printed. For more information, refer to Chapter 6, "Using an Optional Printer."

The list below shows all possible statuses.

Partition (memory) Ulator Museum
Angle mode (degrees, radians, or grads)
Hexadecimal mode (with or without two's complement)
Octal mode (with or without two's complement)
Flags set (flag numbers)
Fixed decimal (places)
Module (installed)
Word break mode (if turned on)
Print device (number)
Print width (number)
System mode (if selected)
Last error (since LIST (ST) function last used)

Stopping the Listing

To stop a listing before all register contents or status messages have been displayed, hold down the **BREAK** or **HALT** key until the word **LIST**: is displayed.

After you stop a listing, you can perform other operations or you can list the registers again by selecting $\langle \mathsf{REG} \rangle$. The list begins at the number in the display, register. If an alpha message is in the display, you can press $\boxed{\mathsf{CE}}$ to see the number.

Listing the Calculate Status

Press UST (ST) to list the current calculator status.

The calculator lists the current partition settings and each parameter that is not currently set to its default setting (Parameters that are currently set to their default settings are not listed.)

The list is displayed at a one-second rate. You can use the ley to control the speed of the listing.

If you have a PC-324 printer attached, the listing is also printed. For more information, refer to Chapter 6, "Using an Optional Printer."

Datamath Calculator Museum

Angle mode (degrees, radians, or grads)
Hexadecimal mode (with or without two's complement)
Plags set (flag numbers)
Fixed decimal (places)
Word decimal (places)
Word break mode (if turned on)
Print device (number)
Print width (number)
Bystem mode (if selected)

Stopping the Listing

To stop a listing before all register contents or status messages have been displayed, hold down the [RREAK] or [HALT] key until the word LIST: is displayed.

After you stop a listing, you can perform other operations or you can list the registers again by selecting (REG). The list begins at the number in the display, register. If an alpha message is in the display, you can press [CE] to see the number.


Chapter 6: Using an Optional Printer

This chapter describes how to use the printing functions of the TI-95 after you have connected an optional PC-324 printer, or another suitable printer, to your calculator.

| Table of Contents | Location of the Printer Operation Keys 6-2 | 2 |
|--------------------------|--|---|
| | Printer Menus | 3 |
| | Printer Device Numbers 6-4 | 1 |
| | Setting the Printer Format 6-1 | 5 |
| | General Printer Operation | 6 |
| | Printing Lists 6-8 | 8 |

Location of the Printer Operation Keys

The keys used with the printer are shown in the figure below. Familiarize yourself with these keys and their location on the keyboard.



Two of the printer operation keys (I/O and LIST) present menus that allow you to perform some of the printer operations.

The I/O Menu

The $\overline{\text{LO}}$ key displays an INPUT/OUTPUT menu. One of the selections on this menu lets you set certain calculator parameters used in printing. If you are using a PC-324 printer, this function is not necessary. The calculator defaults to the parameters for that printer.

INPUT / OUTPUT TAP PRT CIO KW

Cassette tape operations (discussed in the

TI-95 Programming Guide)

(PRT) Selects PRINTER SETUP menu

(CIO) Call I/O (discussed in the TI-95
Programming Guide)

Key wait function (discussed in the TI-95

Programming Guide)

The LIST Menu

The LIST key lets you print lists of items such as data registers and program labels.

LIST: REG PGM LBL ST

(REG) List data registers

(PGM) List program

(LBL) List program labels

(ST) List calculator status

Because the calculator can connect to different devices through a single peripheral port, each device has a unique device number to identify it. The calculator assumes a particular device number for all printer operations unless you change the number.

Default Device Number

The first time you turn the calculator on, the printer device number defaults to 012, the device number for the PC-324 printer. If you have a PC-324 printer attached, you can use all the printing functions of the calculator without changing the default device number.

If you do not have a PC-324 printer attached, you can change the device number. The new number is saved even if you turn the calculator off and back on.

Changing the Device Number

If you have a different printer attached, you must use the INPUT/OUTPUT menu to change the calculator's printer device number before using your printer.

To change the device number:

- 1. Determine the device number of your printer.
 - 2. Press VO (PRT) to select the PRINTER SETUP menu.

PRINTER SETUP DEV WID WB

Select <DEV> and enter the device number of your printer.

When you enter the last digit, the new device number becomes active and the PRINTER SETUP menu returns. You can now use the printing functions of the calculator.

In addition to setting the printer device number, you can use the PRINTER SETUP menu to control the format of printed data. You can specify the maximum number of characters to be printed on each line, and you can specify whether to break after a word at the end of a line if there is not enough room to print all of the next word on that same line.

Setting and some Line Width

When you first turn the calculator on, the default line width is 24 characters per line, the PC-324 printer setting. If your printer prints more or less than 24 characters on a line, you may want to change the calculator's line-width setting to match your printer. If you change the line width, the new line width is saved. even if you turn the calculator off and back on.

To change the line-width setting:

- 1. Press VO (PRT) (WID) to select the width option on the PRINTER SETUP menu.
- 2. Enter a two-digit number for the new line width. (The number you enter must be between 01 and 80.)
- When you enter the second digit, the new line width becomes active and the display returns to the PRINTER SETUP menu.

Setting When you first turn the calculator on, the word break Word Break feature is off. If you turn word break on, it is saved, even though you turn the calculator off and back on.

> These two examples illus trate the effect of usin g word break.

These two examples illustrate the effect of using word break.

Word break off (default) Word break on

If you are printing text, such as long alphanumeric messages, you may want to turn word break on to prevent the words from being broken.

To turn word break on, press 1/0 (PRT) (WB).

To turn word break off, press 1/0 (PRT) INV (WB).

General Printer Operation

You can use the calculator keyboard to control the printer. In addition to advancing the paper and printing the current contents of the display, you can print an audit trail of calculator operations and their results.

Advancing the Paper

The 2nd [ADV] key sequence lets you advance the paper in the printer by one line without printing anything. This lets you use the advance function in a program.

Printing the Display Contents

The 2nd [PRINT] key sequence lets you print the contents of the display. When you use the print function:

- An alphanumeric message is printed in its entirety, even though only a portion of the message may be visible in the 16-character display.
- Status indicators and function-key labels are not printed.
- Some special characters may be displayed but not printed.

Codes

Printing In addition to numbers, letters, and punctuation symbols, your printer may also respond to other codes.

► Control codes may cause your printer to perform some action, such as setting double line spacing. The PC-324 printer responds to the following codes.

> Code 13 produces a carriage return and line feed. Code 17 activates single spacing. Code 18 activates double spacing.

 Special character codes enable you to produce special symbols, such as boxes on certain printers. Other printers may not have this capability.

To use the print function to send any of these codes to a printer, you must first generate the code using the CHR function of the TI-95 alpha mode. Because the alpha mode is used primarily in programming, it is described in the TI-95 Programming Guide.

Trace Mode

Using the The 2nd [TRACE] key sequence lets you turn the calculator's trace mode on or off.

> Trace mode is useful when you need a "printing calculator." When trace mode is on, the calculator automatically prints each display as it appears, eliminating the need for you to press 2nd [PRINT] with each new display. This also produces a hard copy of the inputs and outputs of each function executed.

The trace mode can also be useful in isolating errors in a program. Use of the trace mode for this purpose is discussed in the TI-95 Programming Guide.

To turn trace mode on, press 2nd [TRACE].

To turn trace mode off, press INV 2nd [TRACE].

Using Printer Power for the Calculator

If you have a PC-324 printer connected to the calculator, the printer provides power for the calculator from either the AC adapter or the batteries.

When you see a P in the status indicator area of the display, this indicates the PC-324 printer batteries are low and should be replaced.

If you have a PC-324 or another suitable printer attached and properly set up when you use the LIST function, the list is printed as well as displayed. You can print lists of data register contents, status settings of the calculator, stored program keystrokes, and program labels. If you wish, you can stop a listing before it has finished.

Printing Data Registers

To print a list of the contents of a series of data registers:

1. Press LIST. The display shows the list options.



- 2. Enter the address of the first register you want to print. If you do not enter an address, the listing begins at register 000 each time you press the LIST key.
 - 3. Select (REG).

Beginning with the specified register, the address and contents of each register are displayed and printed as shown in the following sample.

| 000 | 4. A Act make a BC-324 |
|-----|------------------------|
| 001 | o. |
| 002 | 1.234 |
| 003 | 0. |
| 004 | -7.89333333 |

Before you can list a program or its labels, you must first load the program into program memory (using the procedures described in the TI-95 Programming Guide). Because programs supplied in softwaie cartridges cannot be loaded into program memory, you cannot list if ose programs or that labels.

Printing the Calculator Status

To print the current status of the calculator, press $\boxed{\text{LIST}}$ $\langle \text{ST} \rangle$.

The calculator prints the current partition settings and each parameter that is not currently set to its default setting. (Parameters that are currently set to their default settings are not printed.)

For example, if you are using the default partitioning and have selected the radians angle mode, the printed result is similar to the following.

P1000,R125,F5200


ANGLE MODE = RAD

FLAGS SET = NONE

MODULE = NONE

LAST ERROR=NONE

Refer to Chapter 5, "Listing the Calculator Status," for a complete list of the available statuses.



(continued)

Before you can list a program or its labels, you must first load the program into program memory (using the procedures described in the TI-95 Programming Guide). Because programs supplied in software cartridges cannot be loaded into program memory, you cannot list those programs or their labels.

Printing a Program

To print a listing of the program currently stored in program memory:

1. Press LIST (PGM).

The display shows:

START LISTING AT

2. To start the listing at the first program step, select <1st>. To start the listing at the current program step (described in the *TI-95 Programming Guide*), select <PC>.

Beginning with the specified step, the calculator prints a program listing. Each line of the listing begins with the program address of the first instruction in the line, as shown in the following sample.

0000 LBL XX CLR 20 0006 STO 020 0009 LBL YY INC 020 39 0017 IF< 020 GTL ZZ CLR 0024 STO IND 020 GTL YY 0031 LBL ZZ CLR STO 020 0038 HLT

The format of your printed copy may be slightly different, depending on the current setting of line width.

Printing Program Labels

To print the labels of the program currently stored in program memory:

1. Press LIST (LBL).

The display shows:

START LISTING AT

- 2. To start the listing at the first program label, select <1st>. To start the listing at a particular program label (described in the *TI-95 Programming Guide*), select <PC>.
- Beginning with the specified program step, the calculator prints a list of program labels. The address and name of each program label are printed, as shown in the following sample.

0023 LBL BB 0041 LBL AZ 0058 LBL AA 0109 LBL P

Stopping a Listing

Normally, the printing of a list continues until all items have been printed.

To stop a listing before it has finished, hold down the BREAK or HALT key until the word LIST: reappears in the alphanumeric display.

After stopping a listing, you can perform other calculator operations or restart the listing.

Printing Program Labels

To print the labels of the program currently stored in program memory:

1. Press LIST (LBL).

The display shows:

2. To start the listing at the first program label, select (1st). To start the listing at a particular program label (described in the TI-95 Programming Guide), select (PC).

© 2010 Joerg Woerne

museum of each program label are printed, as shown in the following sample.

0023 LBL BB 0041 LBL AZ 0058 LBL AA 0109 LBL P

> Stopping a Listing

Normally, the printing of a list continues until all items have been printed.

After stopping a listing, you can perform other calculator operations or restart the listing.

Appendix A: Reference Information

This appendix contains reference information that you may need as you become more experienced in using your calculator.

| Table of Contents | System Parameter Settings A-: | 2 |
|-------------------|-------------------------------|---|
| | System Menus A- | |
| | Accuracy Information | 8 |
| | Number Limits A-10 | 0 |
| | Index | 1 |

System Parameter Settings

The calculator has several parameters which can be set and reset to different conditions. These parameters are affected when you change batteries, reset the calculator, turn the calculator off and on, clear the calculator, or use the HELP function. The information in this table lists the effects of these actions on each parameter.

| Parameter | Effect of New Batteries* (Default Condition) | Effect of RESET or OFF ON | Effect of CLEAR | Effect of HELP (YES) |
|-----------------------------|---|---------------------------|-----------------|----------------------|
| Display | cleared | cleared | cleared | cleared |
| Display format | standard | standard | removes EE | standard |
| Decimal point | floating | floating | no effect | floating |
| Number base | decimal | decimal | no effect | decimal |
| Memory partition | 125 data registers, 1000 program steps, and 5200 file bytes | no effect | no effect | |
| Data registers | Datamath Ca | no effect | no effect | no effect |
| Program registers | cleared | no effect | no effect | no effect |
| File space | cleared | no effect | no effect | no effect |
| Statistics registers | cleared | no effect | no effect | no effect |
| Temporary register | cleared | cleared | no effect | cleared |
| AOSTM stack | cleared | cleared | cleared | cleared |
| User subroutine stack | cleared | cleared | no effect | no effect |

^{*} You can use a PC-324 printer (if available) to power the calculator while you change batteries to avoid these effects.

^{**} Memory not used as file space is equally divided into program steps and data registers.

The following lists show the functions assigned to the [F1-F3] keys when certain other keys are pressed. Many of those redefined keys also have inverse functions. Although they do not appear in the menu, they are shown here. Detailed information on how to use these system menus is contained in sections of this manual and in the TI-93 Programming Guide.

| Effect of New Batteries* | Effect of | INS: insert al | |
|-----------------------------|---|--|--|
| Default Condition) | OFF ON | Effect of CLEAR | Effect of HELP (YES) |
| legrees | no effect | no effect | degrees |
| eset | reset | no effect | reset |
| PROCALC | TI-95 PROCALC | no effect | no effect |
| uppercase | uppercase | no effect | no effect |
| eset O 2040 | reset | no effect | no effect |
| Datamath C | al usually no effect | luseum no effect | no effect |
| set to 24 | ** usually no effect | no effect | no effect |
| off | no effect | no effect | no effect |
| off manual 9-0 | off | no effect | no effect |
| reset | reset | no effect | resets flag 15 (Halt On Error) only |
| protected | protected | no effect | protected |
| off missing and | off | no effect | off |
| | eset CI-95 PROCALC Appercase eset Datamath C et to 12 et to 24 off off eset | eset reset TI-95 PROCALC Appercase uppercase eset reset A usually et to 12 no effect ** usually no effect off off eset reset protected protected | reset reset no effect TI-95 PROCALC PROCALC no effect reset uppercase no effect reset no effect reset no effect reset no effect reset no effect resully no effect no effect reset no effect |

^{*} Set to 12 if PC-324 printer is attached

^{**} Set to 24 if original device was not 12, but PC-324 is attached now

The following lists show the functions assigned to the $\boxed{\texttt{F1}}-\boxed{\texttt{F5}}$ keys when certain other keys are pressed. Many of these redefined keys also have inverse functions. Although they do not appear in the menu, they are shown here. Detailed information on how to use these system menus is contained in sections of this manual and in the $\emph{TI-95}$ Programming \emph{Guide} .

| | DEL: delete alpha character | | |
|--|--|--|--|
| | INS: insert alpha characters | | |
| | COL: move cursor to column | | |
| ALPHA - | MRG: merge with alpha regist | | |
| | RCA: recall to alpha register | | |
| | STA: store from alpha register | degrees | |
| | CHR: enter a character code | | |
| | LC: set/reset lowercase lock | | |
| | | TI-05 | Alpha |
| | | F-C: Fahrenheit t | |
| | | INV F-C: Celsius t | The state of the s |
| | | G-L: gallons to lite | |
| | MET: metric conversions — | INV G-L: liters to | |
| | | #-K: pounds to kil | |
| | © 2010 Joerg V | INV #-K: kilogram | |
| | Determeth Calculat | i-m: inches to mill | |
| | Datamath Calculat | | |
| | no effect no effect | f-M: feet to meter | |
| | | INIVI & M. motore t | a fact |
| | rellarious ## | INV f-M: meters t | |
| | ** usually | | |
| | DMS: degrees/minutes/second | ds to decimal degree | es dibliw |
| | 4-32 | ds to decimal degree | es dibliw |
| | DMS: degrees/minutes/second | ds to decimal degree degrees/minutes/se | es dibiw |
| CONV | DMS: degrees/minutes/second INV DMS: decimal degrees to o | ds to decimal degree degrees/minutes/se D-R: degrees to ra | es econds |
| CONV———————————————————————————————————— | DMS: degrees/minutes/second INV DMS: decimal degrees to o | ds to decimal degree degrees/minutes/se D-R: degrees to ra INV D-R: radians | es econds adians to degrees |
| CONV- conversions | DMS: degrees/minutes/second INV DMS: decimal degrees to o | ds to decimal degree degrees/minutes/se D-R: degrees to ra INV D-R: radians D-G: degrees to gr | es econds dians to degrees rads |
| CONV———————————————————————————————————— | DMS: degrees/minutes/second INV DMS: decimal degrees to o | ds to decimal degree degrees/minutes/se D-R: degrees to ra INV D-R: radians D-G: degrees to gr INV D-G: grads to | es econds dians to degrees rads degrees |
| CONV- conversions | DMS: degrees/minutes/second INV DMS: decimal degrees to o | ds to decimal degree degrees/minutes/se D-R: degrees to ra INV D-R: radians D-G: degrees to gr INV D-G: grads to R-G: radians to gr | es econds dians to degrees rads degrees ads |
| CONV- conversions | DMS: degrees/minutes/second INV DMS: decimal degrees to degrees to degrees/radians/grads = | ds to decimal degree degrees/minutes/se D-R: degrees to ra INV D-R: radians D-G: degrees to gr INV D-G: grads to | es econds dians to degrees rads degrees ads |
| CONV- conversions | DMS: degrees/minutes/second INV DMS; decimal degrees to degrees and ans/grads - P-R: polar to rectangular | ds to decimal degree degrees/minutes/se D-R: degrees to ra INV D-R: radians D-G: degrees to gr INV D-G: grads to R-G: radians to gr | es econds dians to degrees rads degrees ads |
| CONV- conversions | DMS: degrees/minutes/second INV DMS; decimal degrees to degrees and ans/grads - ANG: degrees/radians/grads - P-R: polar to rectangular INV P-R: rectangular to polar | ds to decimal degree degrees/minutes/sedegrees/minutes/sedegrees to rain INV D-R: radians D-G: degrees to grads to R-G: radians to grads to R-G: grads to INV R-G: grads to | es econds dians to degrees rads degrees ads radians |
| CONV- conversions | DMS: degrees/minutes/second INV DMS; decimal degrees to degrees and ans/grads - P-R: polar to rectangular | ds to decimal degree degrees/minutes/sedegrees/minutes/sedegrees to rain INV D-R: radians D-G: degrees to grads to R-G: radians to grads to R-G: grads to DEC: decimal model. | es econds dians to degrees rads degrees ads radians |
| CONV- conversions | DMS: degrees/minutes/second INV DMS; decimal degrees to degrees and ans/grads — ANG: degrees/radians/grads — P-R: polar to rectangular INV P-R: rectangular to polar | ds to decimal degree degrees/minutes/sedegrees/minutes/sedegrees to rain INV D-R: radians D-G: degrees to grads to R-G: radians to grads to R-G: grads to DEC: decimal modern HEX: hexadecimal | es econds dians to degrees rads degrees ads radians |
| CONV- conversions | DMS: degrees/minutes/second INV DMS; decimal degrees to degrees and ans/grads - ANG: degrees/radians/grads - P-R: polar to rectangular INV P-R: rectangular to polar | ds to decimal degree degrees/minutes/se degrees/minutes/se D-R: degrees to ra INV D-R: radians D-G: degrees to gr INV D-G: grads to R-G: radians to gr INV R-G: grads to DEC: decimal mod HEX: hexadecimal OCT: octal mode | es econds dians to degrees rads degrees ads radians de al mode |
| CONV-conversions | DMS: degrees/minutes/second INV DMS; decimal degrees to degrees and ans/grads — P-R: polar to rectangular INV P-R: rectangular to polar degrees and ans/grads — | ds to decimal degree degrees/minutes/se degrees/minutes/se D-R: degrees to ra INV D-R: radians D-G: degrees to gr INV D-G: grads to R-G: radians to gr INV R-G: grads to DEC: decimal mode HEX: hexadecimal OCT: octal mode 2sC: two's complete. | es econds dians to degrees ads degrees ads radians de al mode ement mode |
| CONV- conversions | DMS: degrees/minutes/second INV DMS; decimal degrees to degrees and ans/grads — ANG: degrees/radians/grads — P-R: polar to rectangular INV P-R: rectangular to polar | ds to decimal degree degrees/minutes/se degrees/minutes/se D-R: degrees to ra INV D-R: radians D-G: degrees to gr INV D-G: grads to R-G: radians to gr INV R-G: grads to DEC: decimal mod HEX: hexadecimal OCT: octal mode | es conds dians to degrees rads degrees ads radians de al mode ement mode node |

CLR: clear statistics registers - CS1: 1-variable statistics FRQ: frequency for entry | CS2: 2-variable statistics MN: mean s: sample standard deviation STAT-INV s: population standard (1-VARIABLE) statistics deviation n: number of points m-b: slope-intercept Sx: sum of x's r: correlation coefficient Sxx: sum of x2's y': predicted y value Lfr: last frequency INV y': predicted x value Lx: last x entered SHW: show statistics values (2-VARIABLE) n: number of points Sy: sum of y's Svv: sum of v2's Ly: last y entered Sxy: sum of xy's Sx: sum of x's Sxx: sum of x2's Lfr: last frequency INT: integer FRC: fraction R#: random number INV R#: random number generator seed NUM-RND: round internal value

numeric

functions

SGN: signum

PF: prime factors
ABS: absolute value

REG: list registers
LIST PGM: list program

1st: start at first step
PC: start at current step

LBL: list program labels
ST: list calculator status

1st: start at first step
PC: start at current step
PC: start search at current step

LCM: least common multiple/greatest common divisor

(continued)

| | | om files ta from RAM cartridge (program | | |
|------------|---|---|--|--|
| | | only) | | |
| | PUT: save program or data in | | | |
| | | INV PUT: save program or data in RAM cartridge (program | | |
| | DF: delete specified file | only) | | |
| FILES — | | n RAM cartridge (program only) | | |
| FILES | CAT: show catalog of director | | | |
| | INV CAT: show catalog of RA | Will Fig. Artifolished and a Till | | |
| | CD: clear all files in directory | in cartriage (program only) | | |
| | INV CD: clear all files in RAM | cartridge (program only) | | |
| | NAM: rename a RAM cartridg | | | |
| | Stream of v's | | | |
| | . 2010 Joera \ | RD: read from tape | | |
| | TAP: tape storage functions - | WRT: write to tape | | |
| | - Datamath Calculat | VFY: verify tape | | |
| | Sx: sum of x's | I many | | |
| T/O | DDM - i-i | DEV: set printer device # | | |
| I/O | PRT: printer setup | WID: set print width | | |
| | | WB: word break on INV WB: word break off | | |
| | CIO: call I/O subroutine | INV WB. Word break off | | |
| | KW: key wait | | | |
| | Tim. Rey wate | | | |
| | IF>: if greater than | | | |
| | INV IF>: if less than or equal | | | |
| | IF<: if less than | | | |
| | INV IF<: if greater than or equ | ual | | |
| TESTS - | onal INV IF = : if not equal | | | |
| conditiona | | | | |
| tests | DSZ: decrement and skip if zero | | | |
| | INV DSZ: decrement and skip if not zero | | | |
| | Y/N: yes/no input test | | | |

| RUN | Transaction Pro-O- | e space | idge* |
|--------------------------------|--|--|-------------|
| | lights kept internally are refer | | |
| LEARN— | END: show last step ESC: escape | | |
| | PS: specify program steps | | |
| PART- | REG: specify registers FIL: specify file space | | |
| | SET: accept current setting ESC: escape | | |
| | | | |
| HELP- | YES: set all defaults NO: set selected defaults ESC: escape | | |
| | uard digits are especially impo | | |
| | CLR: clear flags SF: set flag | | |
| FLAGS— | RF: reset flag TF: test for flag set INV TF: test for flag reset | | |
| | dir. danarane edanerere | sets the internal | |
| FUNC— extended functions | CUB: cubic equations SYS: system functions | STB: store byte RCB: recall byte SBA: call assemble subroutine | ly language |

The name may be the name of a library cartridge or a name assigned to a Constant Memory $^{\text{TM}}$ cartridge.

The calculator maintains values internally to greater accuracy than the values it displays. Occasionally, the difference between a displayed number and its internal value can produce unexpected results.

Numeric Accuracy

Any displayed number is a rounded representation of an internally stored 13-digit value. This internal value, not the displayed number, is used during calculations.

The additional digits kept internally are referred to as "guard digits." Although you can usually disregard these digits, they can be important in interpreting unexpected results.

As an example of the effect of guard digits, it is possible for an expression equal to zero to produce a nonzero result (for example $1 \div 3 \times 3 - 1$).

| Press 2010 loors Westman 13 | Disp | lay |
|-----------------------------|-------------|------|
| 1 ± 3 × | .3333333333 | * |
| 3 E E THE CAICUIA OF MUSEUM | -1. | - 13 |

Differences in guard digits are especially important if you write a program that compares two values for equality.

If you suspect these differences are responsible for an unexpected result of a comparison, use the ROUND numeric function before making the comparison. This sets the internal value of the number to the value shown in the display.

Internal

The 13 digits of the mantissa are displayed when you use Values the 2nd [13d] key sequence.

All the digits of the internal value are shown in the unformatted mode (a selection of CONV (BAS)). An unformatted number has three parts:

- ► The left 13 digits are the base 10 mantissa with the decimal implied after the first digit.
 - The 14th digit conveys the sign of both the mantissa and the exponent. (Because the signs are indicated by a digit, the +1- key has no effect in this mode.)

| Mantissa Signer 9 \ Exponent Sign | | Sign Digit | |
|-----------------------------------|------------|------------|---|
| atamath | Calculator | Museum | 0 |
| _ | | + | 4 |
| + | | - | 8 |
| _ | | _ | C |

The last two digits are the exponent of scientific notation.

The main use of the unformatted mode is the entry of hexadecimal values for CIO (call I/O) instead of numeric calculations.

The range of numbers that can be displayed depends on the display format in use. This table lists the allowable range of numbers for each format.

| Display Format Allowable Range | | |
|---------------------------------------|--|--|
| Standard notation | -9999999999 to -0.000000001 zero 0.000000001 to 9999999999 | |
| Scientific or engineering notation | -9.999999×10^{99} to -1×10^{-99} zero 1×10^{-99} to 9.999999×10^{99} | |
| Hexadecimal | - FFFFFFFFFF to FFFFFFFFF | |
| Octal | -7777777777 to 777777777 | |

Datamath Calculator Museum

A

Changing the sign of a number, 2-8

Use this list of items to find a topic of reference. Also see the Key Index inside the front cover.

| Absolute value, 2-32 | Clearing |
|---------------------------------|----------------------------------|
| Accuracy information, A-8 | calculator, 2-9 |
| Addressing 8-8-9-9-01-1-shlsPI | entries, 2-9 |
| alphabetic, 5-6 | function key labels, 2-9 |
| indirect, 5-6 | memory, 2-9 |
| long-form, 5-6 | programs, 2-9 |
| short-form, 5-6 | statistics registers, 3-4 |
| Advancing paper, 6-6 | Combinations, 2-25 |
| Algebraic hierarchy, 2-4 | Common 8-1 observed |
| Algebraic Operating System, 2-3 | divisors, 2-31 |
| Alpha mode characters, 1-10 | logarithms, 2-26 |
| Alphanumeric display, 1-8 | multiples, 2-31 |
| Angle A8-2.5km | Constant memory, viii |
| conversions, 4-8 | Contrast, adjusting display, vii |
| mode, 2-20 | Conversions |
| units, 2-20 | angle, 4-8 |
| Antilogarithms, 2-26 | base, 4-12 |
| AOSTM feature, 2-3 | degree format, 4-6 |
| APD TM feature, 1–5 | keys, 4-2 |
| Arccosine, 2-20 | metric, 4-4 |
| Arcsine, 2-20 | polar/rectangular, 4-10 |
| Arctangent, 2-20 | Correcting entry errors, 2-10 |
| Arithmetic operations, 2-16 | Correlation coefficient, 3–14 |
| Arrows, right and left, 1-8 | Cosine, 2–20 |
| Audit trail, 1-8 | Cubic equations, 2–37 |
| Automatic Power Down, 1-5 | enolis |
| | D Te-37 |
| Greatest common divisor, 2-31 | Data entry keys, 2-8 |
| Bases, number, 4-12 | Decimal |
| Battery replacement, 1-2 | fixed, 2-14 |
| BREAK, 6-11 | floating, 2-14 |
| HALT, 5-13 | key, 2-8 |
| HELP function, 1-14 | mode, 4-13 |
| Cartridge port, ix | Decimal point, 2-8 |
| Cartridge, RAM, viii | Decrementing registers, 5-10 |
| Cassette recorder, ix | Default settings, 1-5, A-2 |
| Changing display formats, 2-12 | Definable functions, 1–11 |
| | |

| D (Continued) |
|-----------------------------------|
| Degrees, 2-20 |
| decimal, 4-6 |
| minutes/seconds, 4-6 |
| to radians, grads conversion, 4-8 |
| Difficulty, in case of, B-1 |
| Digits, 2-8 |
| Display |
| adjusting the contrast, vii |
| alphanumeric, 1-8 |
| areas, 1-6 |
| formats, 2-12 |
| function key labels, 1-9 |
| register, 1-16, 2-14 |
| status indicators, 1-7 |
| Divisors, greatest common, 2–31 |
| © 2010. |
| - |
| EE notation, 2-12 Datamath C |
| Entering |
| alpha, 1-10 |
| decimals, 2-8 |
| digits, 2-8 |
| pi, 2-8 |
| scientific notation, 2-8, 2-15 |
| sign, 2-8 |
| Equations |
| cubic, 2–37 |
| quadratic, 2-35 |
| Error |
| correcting, 2-10 |
| messages, B-4 |
| reasons for, B-2 |
| Exchange |
| display and a memory, 5-11 |
| display and t, 3-10, 4-10, 5-7 |
| Exponents, 2-8, 2-12 |
| Extended functions |
| cubic equations, 2–37 |
| quadratic equations, 2-35 |

Factorial, 2-24 Factors, prime, 2-30 Fields, 1-10, 2-9, 5-6 Files, 5-3 Fixed place, 2-14 Flags, A-3, A-4 Floating decimal place, 2-14 Format, display, 2-12 Fractional portion, 2-28 Frequency function, 3-5, 3-10 Functions absolute, 2-32 cubic, 2-35 definable keys, 1-11 extended, 2-34 Oero inverse, 1-11 numeric, 2-27 a cul primary key, 1-10 APDIM resture, 1-5 quadratic, 2-37 second key, 1-10 signum, 2-32 system, 2-34

Grads, 2–20
Grads to degrees,
radians conversion, 4–8
Greatest common divisor, 2–31
Guard digits, A–8

HALT, 5-13
HELP function, 1-14
Hexadecimal mode, 4-13
Hyperbolic operations, 2-22

system, 2-34

| Incrementing registers, 5–10 Indicators, status, 1–6 INPUT/OUTPUT (I/O) menu, 6–3 Integer portion, 2–28 Intercept, 3–14 Internal values, A–9 Inverse hyperbolic functions, 2–22 Inverse trig functions, 2–20 K | Memory arithmetic, 5-8 constant, viii keys, 5-2 partition, viii, 1-14 types, 5-3 Menus, 2-12 Messages error, B-4 temporary, 1-8 Metric conversion, 4-4 Modes |
|--|--|
| Key, definable function, 1-11 | decimal, 4-13 |
| cubic equation, 2-37 | hexadecimal, 4-13 |
| Least common multiple, 2-31 | octal, 4-13 |
| Limits, A-10 | two's complement, 4-14 |
| Linear regression, 3-140 2010 000 | unformatted, 4-14 |
| Line width, 6-5 | Multiples, least common, 2-31 |
| | ulator Museum |
| calculator status, 5-13 | N 8-8-8 state at a total collection of the state of the s |
| data registers, 5-12 | Natural logarithms, 2-26 |
| labels, 5–12 | Negative numbers, 2-8 |
| program, 5-12 | Normal limits, A-10 |
| LIST menu, 6-3 | Normal mode, 1-4 |
| Logarithms | Notation 2 10 |
| common, 2-26 | engineering, 2–12 |
| natural, 2–26 | scientific, 2-12 |
| | standard, 2-12 |
| M Zignorn Functions, 2–32 | Number bases, 4–12 Number conversions |
| Mantissa, 2-12 | |
| Manuals, vi | decimal, hexadecimal, octal, 4-13 |
| Math keys, 2-2 | dms/dd, 4-6 polar/rectangular, 4-10 |
| Mean, 3-3, 3-6, 3-11 | Numeric accuracy, A-8 |
| | Numeric display register, 1–16 |
| | Numeric display register, 1-10 |
| | O Gata, 5-0 |
| | 0 |

Octal mode, 4-13 On and off, 1-4

One-variable statistics, 3-5

| Parameter settings, 1–14 Parentheses, 2–6 Partitioning, viii, 1–14 Pending operations, 2–3 Peripheral port, ix Permutations, 2–25 Pi, 2–8 Polar/rectangular conversions, 2–38 Port, cartridge, ix Port, peripheral, ix Powers and roots, 2–18 Primary functions, 1–10 Prime factors, 2–30 Printer device number, 6–4 format, 6–5 operation keys, 6–2 Printing calculator status, 6–9 codes, 6–6 display contents, 6–6 program instructions, 6–10 program labels, 6–11 register contents, 6–8 Print width, 6–5 Priority of operations, 2–4 Q Quadratic equations, 2–35 R Radians, 2–20 RAM cartridge, viii Random numbers, 2–33 Recalling data, 5–5 Reciprocal, 2–17 Rectangular/polar conversions, 4–10 | Registers addressing, 5–6 arithmetic, 5–8 clearing, 5–4 incrementing, 5–10 numeric display, 1–16 storing, 5–5 Regression, linear, 3–14 Reset button, 2–9 Resetting all parameters, 1–14, A–2 selected parameters, 1–15, A–2 Roots cubic equation, 2–37 quadratic equation, 2–35 square, 2–17 universal, 2–18 Rounding, 2–14, 2–28 S Scientific notation definition, 2–9 keys, 2–8 using, 2–10 Second functions, 1–10 Service information, B–11 Show statistics registers, 3–7, 3–12 Sign of a number, changing, 2–8 Signum functions, 2–32 Sine, 2–20 Slope, 3–14 Square, 2–17 Square root, 2–17 Standard deviation, 3–3, 3–6, 3–11 Statistics keys, 3–2 menu, 3–3 registers, 3–4 |
|--|--|
| | |

S (Continued)

Summing (\(\sum_{\pm}\)+ key), 3-5 Swap, 5-7 System functions, 2-34 System menus, 1-12, A-4 System parameters, A-2

T

Tangent, 2–20
Technical assistance, B–10
Temporary storage, 5–7
Thirteen digits, A–9
Trace mode, 6–7
t-register, 3–10, 4–10, 5–7
Trend-line analysis, 3–16
Trigonometric functions, 2–20
Turning calculator on and off, 1–4
Two's complement, 4–14
Two-variable statistics, 3–10

11

Universal powers and roots, 2–18 Using printer power, 6–7

W

Warranty, A-16 Word break, 6-5

S (Continued)
Summing (E+ key), 3-5
Surap, 5-7
System functions, 2-34
System menus, 1-12, A-4
System parameters, A-2

Tangent, 2-20
Technical assistance, B-10
Temporary storage, 5-7
Thirteen digits, A-9
Trace mode, 6-7
Trend-line analysis, 3-16
Trend-line analysis, 3-16
Trend-line analysis, 3-16
Trend-line analysis, 3-17
Trend-line analysis, 3-17
Trend-line analysis, 3-17
Trend-line analysis, 3-16
Trend-line analysis, 3-16
Trend-line analysis, 3-17
Trend-line analysis, 3-17
Trend-line analysis analysis

Universal powers and roots, 2-18Using printer power, 6-7

> Warranty, A-16 Word breek SuS

Appendix B: In Case of Difficulty

This appendix contains information you will find useful if you encounter problems using your calculator.

| Table of Contents | General Difficulties B | -2 |
|--------------------------|------------------------------|----|
| | Error Messages | -4 |
| | Service Information B- | 10 |
| | One-Year Limited Warranty B- | 12 |

The information in this section may be useful if your calculator does not function properly. If the suggested solution does not correct the problem, refer to "Service Information" on page B-10.

| Difficulty | Suggested Solution | | |
|--|---|--|--|
| An error message appears in the display. | Refer to the list of error messages beginning on page B-4. If a solution is not found: | | |
| | a. Use the HELP function. See "Using the HELP Function" in Chapter 1. | | |
| | b. Press CLEAR to clear the calculator. See "Clearing the Calculator" in Chapter 2. | | |
| | c. Turn the calculator off and back on. See "Turning the Calculator On and Off" in Chapter 1. | | |
| The entire display is blank when you | a. Adjust the contrast control. | | |
| turn the calculator on. | b. Check for correct installation of batteries | | |
| | c. Check battery condition. | | |
| Information in the display disappears. | a. Press ON. The Automatic Power Down feature may have turned the calculator off. | | |
| | b. Check battery condition. | | |
| Information is displayed, but calculator does not respond to keystrokes. | Check RUN indicator. (Program may be in progress.) Press BREAK or HALT. | | |
| Calculator will not go | a. Cancel alpha mode, if active. | | |
| into learn mode. | b. Check for program size of zero. | | |
| Calculations produce unexpected results. | Check for display rounding caused by the current decimal fix setting. | | |
| | b. Check for HEX or OCT mode (using the HELP key). | | |
| | c. Refer to "Accuracy Information" on page A-8. | | |

When an error condition occurs, the ERROR status indicator shows in the display, accompanied by an error message. This able lists messages, alphabetically, that you may encounter when using the TI-95. The error number is included, although tis not displayed, to help you identify error numbers you might see when you use the LIST (ST) (status) function.

| Difficulty | Suggested Solution Space Management |
|---|--|
| Printer does not print. | a. Make sure printer is properly connected. |
| e limit of 15 levels of | b. Make sure printer device number matches that of printer (using 1/0 <prt> <dev>). The PC-324 device number is 12.</dev></prt> |
| Printer does not use full page width when printing. | Set page width to match printer (using [170] <prt> <wid>). The PC-324 page width has a default width of 24 characters.</wid></prt> |
| Printer does not stop printing. | a. Press BREAK or HALT. (Program may be running.) |
| 2. Quarch the data in | b. Make sure trace mode is turned off (using INV 2nd ITRACE)). |
| Any other difficulty that does not display an error message | a. Use the HELP function. See "Using the HELP Function" in Chapter 1 for instructions. |
| | b. List the calculator status. See "Listing" in Chapter 5 for instructions. |
| | c. Clear the calculator. See ''Clearing the Calculator'' in Chapter 2 for instructions. |
| | d. Turn the calculator off and back on. See "Turning the Calculator On and Off" in Chapter 1 for instructions. |
| | e. Reset the calculator. See ''Turning the Calculator On and Off'' in Chapter 1 for instructions. |

Error Messages

When an error condition occurs, the ERROR status indicator shows in the display, accompanied by an error message. This table lists messages, alphabetically, that you may encounter when using the TI-95. The error number is included, although it is not displayed, to help you identify error numbers you might see when you use the LIST <ST> (status) function.

| Error Message nollule | Possible Cause Vilual | | |
|--------------------------|--|--|--|
| AOS STACK FULL (3) | a. Exceeded the limit of eight pending math operations | | |
| | b. Exceeded the limit of 15 levels of parentheses | | |
| CASSETTE ERROR (17) | a. No files on the tape | | |
| | b. Invalid file header on the tape | | |
| | c. No cassette recorder or cassette interface attached | | |
| DID NOT VERIFY (18) 2040 | File on tape does not match the data in memory | | |
| ERROR IN DATA (19) | Both copies of data on the tape are bad | | |
| FILES IN USE (14) | Attempted to partition already occupied file space as program memory or data registers | | |

| Error Message | Po | ssible Cause | Error Message |
|--|---------|---|--|
| ILLEGAL FIELD (7) | a. | Most significant di is zero or greater th | git of the SBA field nan six |
| | | exponent greater t RCB, SF, RF, TF, W FIX, DEV, SBA, or | chan three (STB, VID, COL, CHR, SHW) |
| | | | ne SF, RF, or TF |
| | d. | | tered 0 for the COL |
| | e. | Exceeded 255 for t | the CHR field |
| | | | |
| | 0. | DEV field | |
| | h. | Exceeded 8 for the | SHW field |
| | | Entered a non-ASC PUT, GET, DF, DF, WRT, VFY, or GTL | N, DFA, SBL, RD, |
| INADEQUATE SPACE (20) | | | |
| | b. | Attempted the GE when not enough r partition | |
| | c. | Requested too mar | ny program steps or tition |
| tent of a value greater than 1, in -1, or equal to ±1 | irctang | 8 | (continued |

| Error Message | Po | essible Cause agasseM ton3 |
|---|----|---|
| INVALID ADDRESS (8) | | Addressed a program step larger than the current partitioning |
| | b. | Attempted to direct program execution past the end of program memory |
| | c. | Main memory or file address is specified with HEX digits |
| INVALID ARGUMENT (2) | | Attempted to take the common or natural logarithm of a number less than or equal to zero |
| | b. | Attempted to take the square root of a |
| eeded 9 for the FTX field eeded 255 or entered 0 for the | c. | Attempted to raise a negative number to a power other than positive or negative integers |
| | d. | Attempted to determine the root of a negative number |
| | e. | Attempted to take the arcsine or arccosine of a number greater than 1 or less than -1 |
| | f. | Attempted to take the sine, cosine, or tangent of an angle greater than $\pi/2 \times 10^{10}$ radians |
| | | Attempted to take the hyperbolic arccosine of a value less than 1 |
| | h. | Attempted to take the hyperbolic arctangent of a value greater than 1, less than -1 , or equal to ± 1 |

| Error Message | UNO PO | essible Cause |
|--|--------|--|
| INVALID DIR/FILE (12) | | Failed to find specified file (RUN, SBA, GET, F1-F5, RTN, etc.) |
| | | Failed to find specified directory (RUN, SBA, etc.) |
| | | Directory PGM or library cartridge name was specified in the alpha register and used for SBA 6xx |
| | | Attempted to rename a module with no RAM cartridge in the port |
| CO 20 The link user register or Termate Clor Clo | | No program files in chosen director for RUN function |
| | | No directory present for file function (PUT, GET, CD, NAM, CAT, or DF) |
| | g. | Used "+" as the first character in a program file name |
| | | positive whole integers, zero, and positive and negative half integers) |
| | b. | Attempted to store a number greater than 255 with the STB function |
| | | Requested more than 6200 file byte when partitioning |
| | d. | Specified a negative value or zero for PUT or WRT register file |
| | e. | Attempted to use the nPr, nCr, LCM or PF functions for input other than positive integers |

| Error Message eau ac | Possible Cause Apassad for | |
|--|--|--|
| INVALID REGISTER (9) | a. Attempted to address a data memory outside the current partitioning | |
| | larger than the current data memory | |
| | c. Most significant digit of a four-digit register address is not 0, 2, 3, or 6 | |
| | d. Attempted to access a system registe outside the range 0–139 | |
| 012020 in chosen directory Table Ta | e. Specified the last user register or system registers 0–16 for CIO | |
| | f. Attempted STA or RCA within the last nine user registers or within the first 16 or last nine system registers | |
| INVALID SEQUENCE (6) | cartridge | |
| | b. Attempted RCB with an address in the system ROM | |
| | c. Attempted to use a flag greater than | |
| I/O ERROR nnn (4) | Return status from CIO is not 0. Actual status returned is nnn. | |
| LABEL NOT FOUND (11) | Addressed a label that does not exist in current program (can be file or program memory) | |
| MORE DATA IN PGM (21) | File on tape verified correctly, but there was more data in program memory after verified amount | |
| NO DATA FOUND (5) | Attempted to store an empty program file to directory or tape | |

| Error Message | Possible Cause |
|-----------------------|---|
| NO SOLUTION (15) | a. Attempted to compute mean when there are zero or fewer points |
| | b. Attempted to compute standard deviation, r, m-b, x', or y' when there |
| | c. Attempted to compute x' when slope is zero |
| | d. Computed the correlation coefficient of a data set with a zero or infinite |
| overflow(1) atamath | a. Calculated a result that exceeds the numeric range of the calculator |
| | b. Divided by zero |
| | c. Raised zero to a power less than zero |
| | 90° or 270° , $\pi/2$ or $3\pi/2$ radians, 100 or |
| | e. Attempted to take the factorial of a number larger than 69.5 |
| SBR STACK FULL (10) | Exceeded the limit of eight nested subroutines |
| WRONG FILE FOUND (16) | Found a file on the tape other than the one specified |
| ****** | Although not an error message, this indicates you tried to convert a number from decimal to octal or hexadecimal which is too large to be displayed |

If the solutions suggested by "General Difficulties" and "Error Messages" do not correct a problem you may have with your calculator, please call or write Consumer Relations to discuss the problem.

For Service and General Information

If you have questions about service or the general use of your calculator, please call Consumer Relations at:

1-806-747-1882.

Please note that this is a toll call, and collect calls are not accepted.

You may also write to the following address:

Texas Instruments Incorporated Consumer Relations P.O. Box 53 Lubbock, Texas 79408

Please contact Consumer Relations:

- ► Before returning the calculator for service.
- For general information about using the calculator.

For Technical Information

If you have technical questions about the operation of the product or programming applications, call 1-806-741-2663. We regret that we cannot accept collect calls at this number. As an alternative, you can write Consumer Relations at the address given above.

Express Service

Texas Instruments offers an express service option for fast return delivery. Please call Consumer Relations for information.

Calculator Accessories

If you are unable to purchase calculator accessories (such as carrying cases or adapters) from your local dealer, you may order them from Texas Instruments. Please call Consumer Relations for information.

Returning Your Calculator for Service

A defective calculator will be either repaired or replaced with the same or comparable reconditioned model (at TI's option) when it is returned, postage prepaid, to a Texas Instruments Service Facility.

Texas Instruments cannot assume responsibility for loss or damage during incoming shipment. For your protection, carefully package the calculator for shipment and insure it with the carrier. Be sure to enclose the following items in the package:

- Your full return address
- Any accessories related to the problem
- A note describing the problem you experienced
- A copy of your sales receipt or other proof of purchase to determine warranty status

Please ship the calculator postage prepaid; C.O.D. shipments cannot be accepted.

In-Warranty Service

For a calculator covered under the warranty period, no charge is made for service.

Out-of-Warranty Service

A flat-rate charge by model is made for out-of-warranty service. To obtain the service charge for a particular model, call Consumer Relations before returning the product for service. (We cannot hold products in the Service Facility while providing charge information.)

Service **Facilities**

Texas Instruments U.S. Residents (U.S. Postal Service) Texas Instruments P.O. Box 2500 Lubbock, Texas 79408

U.S. Residents (other carriers) **Texas Instruments** 2305 N. University Lubbock, Texas 79415

Canadian Residents Only Texas Instruments 41 Shelley Road Richmond Hill, Ontario L4C 5G4

One-Year Limited Warranty

This Texas Instruments electronic calculator warranty extends to the original consumer purchaser of the product.

Warranty This calculator is warranted to the original consumer Duration purchaser for a period of one (1) year from the original purchase date.

Warranty

This calculator is warranted against defective materials Coverage or workmanship. This warranty is void if the product has been damaged by accident, unreasonable use, neglect, improper service, or other causes not arising out of defects in material or workmanship.

Warranty Disclaimers

Any implied warranties arising out of this sale, including but not limited to the implied warranties of merchantability and fitness for a particular purpose, are limited in duration to the above oneyear period. Texas Instruments shall not be liable for loss of use of the calculator or other incidental or consequential costs, expenses, or damages incurred by the consumer or any other user.

> Some states do not allow the exclusion or limitations of implied warranties or consequential damages, so the above limitations or exclusions may not apply to you.

Legal Remedies This warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

Warranty During the above one-year warranty period, your Performance defective calculator will either be repaired or replaced with a reconditioned comparable model (at TI's option) when the product is returned, postage prepaid, to a Texas Instruments Service Facility.

> The repaired or replacement calculator will be in warranty for the remainder of the original warranty period or for six months, whichever is longer. Other than the postage requirement, no charge will be made for such repair or replacement.

> Texas Instruments strongly recommends that you insure the product for value prior to mailing.

© 2010 Joerg Woerner

Datamath Calculator Museum

© 2010 Joerg Woerner Datamath Calculator Museum © 2010 Joerg Woerner

Datamath Calculator Museum

© 2010 Joerg Woernêr Datamath Calculator Müseu

