TI EXTENDED BASIG ASSEMBLY LANGUAGE GODE PROGRAMMER®S GUIDE

## Introduction

This occument describes the use of TI9900 assembly language code from Extended Basic on the TI 9974 Home Computer. It includes an introduction to the architecture of the 9974, and to relevant portions of the design of Extended Basic. The minimum system configuration required to run 9900 code is a 9974 console, a monitor, a Memory Expansion peripheral, and an Extended Basic programming language module. A cassette tape player/recorder or a floppy disk unit are required to make use of all available features.

The 9900 code is written and assembled on a host TI 990 minicomputer and downloaded to the 9974 diskette. The file transfer utility of the Terminal Emulator II command module is useful for this procedure. If that is not available, the object code may be entered directly by using a small Extended Basic program to copy from keyboard to disk.

100 OPEN #1: "DSk1.PRDG\_A", GUTPUT, DISPLAY, FIXED 80 200 ACCEPT A\$ 300 IF A\$="." THEN CLOSE #1 :: STOP 400 PRINT #1:A\$ 500 GDTD 200

## Memory Architecture of the 99/4

The 99/4 has several independent address spaces, which are accessed through memory mapped I/O in the primary (CPU) address space.

## 2.1 VDP RAM

Most of the RAM within the console is in the VDP (Video Display Processor) space. This memory is accessed through the VDP chip, and therefore cannot contain 9900 code or workspaces. VDP RAM is used for the screen image, character pattern tables, color tables, etc. When using Extended Basic with an Expansion RAM peripheral, the VDP RAM is also used to hold the program's symbol table, value stack, and string space. VDP RAM is accessed by writing the target address to CPU address D8CO2 (leastsignificant byte first), and then reading data from address D8BOO or writing data to address D8COO. The address written to D8CO2 should have D4OOC added to it if you wish to write! Access to VPD RAM is in auto-increment mode, so that you only need to send one address to read or write a block of data. VDP RAM consists of 16K bytes, with addresses D0000 to D3FFF (or D4000 to D7FFF for write mode).

The Screen is at VDP RAM locations >0 to >2FF. The first 32 bytes are the characters on the first line, the next 32 the characters on the second line, etc.

## CAUTION

The characters on the screen are not in the standard ASCII code. Each character has an offset of 260 added to it. Thus the character "A" is represented by a 2A1, instead of by a 241. If you want to display a string on the screen, you must add 260 to each byte before writing it to the screen.

The character pattern table begins at VDP location >400. The locations >400 to >407 contain the bits for the character SPACE

Texas Instruments

2-1

(ASCII 020 or screen 080). These are initialized to all O's. since a 020 is supposed to display as blank. Locations 0408 to 040F describe the character "!" (ASCII 021 or screen 081), etc.

VDP RAM Pointers from CPU RAM Addresses \_\_\_\_\_ +----+ >3FFF : Static Symbol Table : >8335 --->+-----+ | Dynamic Sym Tab and PAB's | >8319 --->+----+ String Space (free) \_\_\_\_\_ i t Value Stack +----+ >0960 Edit-Recall Buffer +----+ >0800 1 Crunch Buffer Color Tables Sprite Velocity Block 1 Character Tables +----+ >0400 : GPL Interpreter : Roll-out Area ----+ >03C0 BASIC Temporaries +----+ >0370 Sprite Attribute List +----+ >0300 Screen +----+ >0000

Figure 2.1

VDP RAM Usage by Extended Basic when Memory Expansion is Present.

Texas Instruments

2-3

#### 2.2 Internal RAM

The only directly addressable CPU RAM inside the console is at addresses 26300 to 263FF. 26300 to 26313 will be used to support parameter passing to machine language subprograms. This will be discussed later under CALL LINK. The rest is used by Extended Basic for Pointers into VDP RAM (e.g. top-of-stack) and global parameters (e.g. OPTION BASE 0 or 1, ON ERROR transfer address, etc.).

#### 2.3 Expansion RAM

The Memory Expansion peripheral has two blocks of memory, a 24% block from address DAOGO to DEFEE, and an BK block from D2000 to DEFEE Extended Basic uses the 24K block for storage of the Basic program, line number table, and numeric variables. The BK block may be used for machine language subprograms. It is possible to use a part of the 24K block for machine language as well. Basic allocates space to itself from the high end of memory, so you may place machine language code and data at the low end. In order to load code here, it should be assembled in absolute mode (e.g. AOPG DAOGO) rather than relocatable. A pointer to the beginning of free (unallocated) memory may be found in location D8386 (RAMERE).

# •

2 4 Structure of the ALC block

The Routine Name Table consists of 8 byte entries; 6 bytes of subprogram name followed by 2 bytes of entry address. The first entry is placed at location  $\square$  3FF6- $\square$ 3FFF As described below, these entries are taken from the 5- and 6- tags of an object file. The Last Free Address (LFA) pointer is initialized to  $\square$ 4000. It points at the first used byte in the Routine Name Table when the name table is not empty. The First Free Address (FFA) pointer is initialized to the first unused location after the utilities and points to the next free byte after subprograms have been loaded. FFA & LFA are loaded into RAM locations  $\square$ 8308 &  $\square$ 830A (CPU RAM) respectively at the start of a LOAD from a file. So if absolute code is to change the values of FFA & LFA it must modify locations  $\square$ 8308 &  $\square$ 830A.

Texas Instruments

2-4



Figure 2-2 ALC Support Memory Usage

## Interface with Extended Basic

Four subprograms are included in Extended Basic which interface between Basic and machine language.

2.1 CALL INIT

INIT initializes the free space and entry name table pointters, and transfers the standard assembly language support package from GROM to RAM. An exception will occur if INIT is called with no expansion RAM attached, or with the expansion RAM not powered up.

3.2 CALL PEEK(address, var-1, Evar-2, ... 1)

PEEK is used to directly read bytes of CPU RAM into Basic variables. The address is a decimal value from -32768 to 32757, representing two byte addresses. Addresses above >7FFF are written as negative numbers, treating the two byte quantity as a two's complement integer. (i.e. to access an address above 32757, subtract 65536 from it.)

#### CAUTION

Because of the autoincrement addressing of some memory mapped address spaces, PEEKing certain addresses will have undesirable side effects. In particular, trying to read from the ROM containing Extended Basic can cause a system crash.

3.3 CALL LDAD(object-1, Cobject-2, ... ])

The LDAD routine is used to load an assembly language object file or direct data into the RAM expansion for later execution

Texas Instruments 3-1

with the LINK routine. Each of the object arguments must be either a string expression or a list of integers. The string expression should evaluate to the name of a file containing a 9900 object program. The list of integers (poke list) should be an address between -32768 and 32747 (see PEEK), followed by a list of integers to be used as one byte of data each. These will be loaded into consecutive locations, starting at the given address. An empty string ("") may be used to separate the last byte of one poke list and the starting address of the next. The address in a poke list is absolute and the data is non-relocatable. If you load a routine directly with a poke list, you should also load a name table entry, so that the routine may be found by CALL LINK described below. When poking data, space is not automatically reserved. The poke procedure written by the user can do this by modifying the FFA and LFA pointers. However this cannot be done without reading (peeking) them. The PEEK routine can be used to read the pointers before modifying them.

The file will be opened and read by the LDAD routine. Relocatable code will be loaded at the first available address. Room will be reserved for the ALC routine according to the length specified in the "O-tag" field in the object file. Absolute code will be loaded at the absolute address specified in the object code.

## CAUTION

Absolute code will be loaded at whatever address is specified in the object code. Space will not be reserved in the RAM expansion for that code. Space will be reserved at the first available address for the length specified in the "O-tag" field. The assembly language programmer must take extreme care that absolute code is really needed and that it will work properly. Loading data into memory already being used by Extended Basic can, of course, cause a system crash.

The first ALC module loaded will load starting immediately after the utilities. The First Free Space pointer will be initialized to that address by the CALL INIT. Relocatable code will be relocated to the starting load address. Whenever a "Otag" is encountered the starting load address is updated from the First Free Space pointer and the First Free Space pointer has the

Texas Instruments

module length added to it. With this scheme modules are loaded serially from the lowest address. Individual modules cannot be deleted from memory. The whole memory may be cleared with a CALL INIT.

The object tags generated by DEF statements (5- and 6-tags) are used to define ALC routines which can be called by name from BASIC. The 5- and 6- tags contain the DEFed name and address. These names and addresses are placed in the Routine Name Table starting at the highest memory address (D3FFF) and working down. These entries are 8 bytes each.

Assembly language code may be loaded from any device which supports sequential display files of fixed length 80. Principally the load device will be a file on the floppy disk, however, the audio cassette recorder may be used.

In order for the object code files to load properly the following conventions must be followed:

Program: No secondary references (SREF, LOAD) or segments (PSEG, DSEG, CSEG) are allowed.

- Assembly: The SYMT (symbol table) option cannot be used.
- Linking: Following is the correct form for the Link Editor Control File:

TASK task-name PARTIAL NDTGLOBAL label.... INCLUDE file-name INCLUDE file-name """""

END

If only one file is being used then it does not have to be linked.

The PARTIAL command retains the entry points (5- and 6-tags) which are used by the BASIC subprogram LINK as entry points. Libraries may be used in the link edit.

The NOTGLOBAL command causes the labels listed to be excluded from the Linked Object File. They will still be used during the Link process though. This would include any labels that were DEFD but are not to be used as entry points from Extended Basic.

Texas Instruments

If the DEFS or REFS macros are used then all of those labels will have to be included in a NOTGLOBAL command, otherwise they would be placed into the Routine Name Table (and be available as entry points from Extended Basic). A skeleton Link Edit Control File is available on file: .HCDEV.ALCLINK which contains the NOTGLOBAL commands for the labels DEFD by DEFS. Specifically file .HCDEV.ALCLINK should contain:

TAEK PAETIAL NOTGLOBAL VDPWA, VDPWD, VDPRD, VDPSTA, FAC, SUBWS, GPLWS NOTGLOBAL NUMASG, NUMREF, STRASG, STRREF, XMLLNK, KSCAN NOTGLOBAL VSBN, VMBW, VSBR, VMBR, VWTR, ERR, FADD NOTGLOBAL FSUB, FMUL, FDIV, SADD, SSUB, SMUL, SDIV, CSN NOTGLOBAL CFI, FCCMP, NEXT, COMPCT, GETSTR, MEMCHK, VPUSH NOTGLOBAL ASSGNV, CNS, VPOP, CIF, SCROLL, VGWITE, GVWITE END

.

3.4 CALL LINK(string-expression,[parameter-list])

The LINK subprogram passes control from a BASIC program to an assembly language subprogram. The string-expression should evaluate to 1-6 characters, which is the name of an assembly language routine. The parameter-list is an optional list of parameters, passed using the same conventions as parameters passed to an Extended Basic subprogram. The LINK subprogram performs the following actions:

- Evaluate the ALC subprogram name and its length (1-6), and push the FAC entry on the value stack.
- 2. Build the ALC argument list consisting of stack and identifier table entries.
- 3. Move the sub-name from string space to the FAC entry and transfer control over to the utility code.
- On return, branch to an error routine if an error has been detected; otherwise, clear the stack and return normally.

The arguments are passed to the ALC subprogram through the stack in VDP RAM and the identifier list in CPU RAM. The identifier list consists of the following;

address

Texas Instruments

3-4

- (>8300 >830F ) Argument identifiers (one byte each; maximum of 16)
- 2. (28310 ) Old value stack pointer.
- 3. (>8312 ) Number of arguments.
- (>B314
   Temporary storage space for subroutine name.

There are 6 types of arguments supported.

- Numeric Expression The identifier will contain a O. The eight byte stack entry will contain the value of the numeric expression. The first byte is the exponent, in excess-64, radix 100 notation. The other seven bytes contain O to 97, for radix 100 digits. If the number is negative, the first word (two bytes) IS negated.
- E. String Expression The identifier will contain a 1. The string entry will contain:
  - a. Butes 0-1: 00010
  - b. Byte 2: 0.65 (the string tag)
  - c. Bytes 4-5: Pointer to the value of the string in VPD RAM.
  - d. Bytes 6-7: Length of the string. Byte 6 should always be zero, since the maximum string length is 255 characters.
- 3. Numeric variable This item will either be a numeric variable or a numeric array element. The identifier list will contain a 2 for this entry. The string will contain:
  - a. Bytes O-1: Pointer to the varaible's symbol table entry in VDP RAm.
  - b. Byte 2: zero
  - c. Bytes 4-5: Pointer to the eight byte value of the variable, in Expansion RAM.
- 4. String Variable This item will either be a string variable or a string array element. The identifier list will contain a 3. The stack entry will contain:

Texas Instruments

- a. Bytes O-1: Fointer to the variable's symbol table entry in VDP RAM.
- b. Byte 2: 165
- c. Bytes 4-5: Pointer to the string's value in VDP RAM.
- d. Bytes 6-7: String length.
- 5. Numeric Array This entry results from an argument of the form A() or A() etc. This is used so that a subprogram may manipulate an entire array. The identifier list will contain a 4 for this entry. The string entry will contain:
  - a. Bytes O-1: Pointer to the array's symbol table antry in VDP RAM. The byte pointed to will contain the number of dimensions of the array in the least significant three bits.
  - b. Byte 2: zero.
  - c. Bytes 4-5: Pointer to the array's value space in VDP RAM. The value space will have two bytes for each dimension, indicating the maximum index for that dimension, and two bytes for a pointer to the first element's eight byte value in Expansion RAM. The values are stored in row-mayor order. (i.e. the first index varies the fastest.)
- 6. String Array Similar to the entry for a numeric array except the identifier list will contain a 5 and byte 2 of the stack entry will contain >65. The value space for a string array will contain two bytes for each dimension, indicating the maximum index, followed by two bytes for each array element, which is used as a pointer to the element's value string in VDP RAM.

Any argument that can be passed as a variable will be passed as such rather than as an expression.

The assembly subprogram is called through a Name Link Routine written in assembly language and loaded with the utilities. The Name Link Routine looks up the name of the routine to be called in the Routine Name Table and branches to the ALC subprogram. The Name Table is searched from the lowest address up so that if two routines are LOADed with the same name then the second one loaded will be used. The name of the routine to be called will be placed in FAC blank filled to 6 characters.

Texas Instruments

If the name supplied by the user is greater than 6 characters then an error will result. This error will be detected in GPL before the XML. If the Name Link Routine cannot find the name in the table then it will return with the GPL condition bit set to indicate that error.

The Name Link Routine will branch to the ALC routine with a direct 9900 code branch. When the ALC routine is called from the LINK routine the workspace will be at 283E0. The ALC routine must retain R11, R13, R14, and R15 in that workspace and return to the GPL interpreter with an RT instruction. Normally the ALC routines will have their own workspaces and will return to GPL with a LWPI 283E0 followed by a RT. The macros ENTRY and RETURN described below are useful to handle this.

The ALC subprogram can assign new values to numeric or string variables or to elements of numeric or string arrays with utilities provided by the system. These utilities are described in a later section.

When the ALC routine returns to LINK the stack must be cleared. The entries on the stack must be individually popped to release any temporary strings.

## Utilities

The utility routines are provided for use by assembly language subprograms to access machine resources and to interface with the BASIC interpreter.

Utility subroutines are provided in the RAM expansion so that ALC subprograms can be shorter and more machine independent. The utility routines are called with BLWP instructions and use registers to pass arguments.

## 4.1 VDP Access Utilities

Several utilities are provided for access to the Video Display Processor. Macros (see below) are also provided when speed is important. Generally using the utilities instead of the macros will save code space.

All parameters are passed through the calling program's workspace registers.

<u>VDF Single Byte Write</u>. This routine writes the single byte value in the most significant byte of register 1 to the VDP RAM address indicated in register O. The routine is accessed by a BLWP @VSBW.

<u>VDP Multiple Byte Write</u>. This routine writes the number of bytes indicated in register 2 from the CPU RAM buffer pointed to by register 1 to the VDP RAM buffer pointed to by register 0. The utility is called with a BLWP @VMBW.

<u>VDP Single Byte Read</u>. This routine reads a single byte from the VDP RAM address indicated in register O, and places it in the most significant byte of register 1. The routine is called with a BLWP @VSBR.

<u>VDP Multiple Bute Read</u>. This routine reads the number of bytes indicated in register 2 from the VDP RAM buffer pointed to by register O, and places them in the CPU RAM buffer pointed to by register 1. The utility is accessed by a BLWP @VMBR.

Texas Instruments

4-1

<u>VDP Write to Register</u>. This routine writes the single byte value in the least significant byte of register O to the VDP register indicated in the most significant byte of register O. The routine is called with a BLWP @VWTR.

## 4.2 Argument passing utilities

<u>Numeric Assignment</u>. A utility is provided to allow a value to be assigned to a numeric variable passed as an argument. The floating point variable to be assigned will be in FAC and the argument number will be passed in R1 (full word). The utility is called with a BLWF @NUMASG. If the requested argument is not a numeric variable then the routine will return to GPL with the GPL condition bit set.

For assignments to a simple numeric variable RO must contain a zero. For an assignment to an array RO will contain the array element number. The assignment utility will test for legal bounds on the element number. With OPTION BASE 0 the element number must range from 0 to (maximum number of elements - 1). With OPTION BASE 1 then the element number must range from 1 to maximum number of elements.

<u>String Assignment</u>. A utility is provided to allow a string to be assigned to a string variable passed as an argument to the subprogram. The utility does the following:

- 1. Allocates space for the string in VDP RAM.
- 2. Copies the string into VDP RAM.
- 3. Assigns the string to the selected varaible.
- Fixes up the original argument stack entry to point to the new string.

The string to be assigned is constructed by the ALC routine in the RAM expansion. The first byte of the string is the length of the string. The assignment utility is called with the string address in register 2 and the argument number in register 1 (full word). The utility is called with a BLWP @STRASG. If the argument specified is not a string variable then the routine will return to GPL with the GPL condition bit set.

For assignments to a simple string variable RO must contain a zero. For an assignment to an array RO will contain the array element number. The assignment utility will test for legal

Texas Instruments

bounds on the element number. With OPTION BASE O the element number must range from O to (maximum number of elements - 1). With OPTION BASE 1 then the element number must range from 1 to maximum number of elements.

<u>Get Mumeric Parameter</u>. A utility is provided to fetch the value of a numeric parameter. Register 1 contains the parameter number. If the parameter is an array, register 0 contains the element number, otherwise, register 0 contains 0. The value of the numeric parameter is returned in FAC. The utility routine is accessed by a BLWP @NUMREF.

<u>Get String Parameter</u>. This utility is used to fetch the value of a string parameter. Register 1 contains the parameter number. If the parameter is an array, register 0 contains the element number, otherwise, register 0 contains C. Register 2 contains the address of a CPU RAM buffer. Upon calling the utility, the first byte of the buffer must contain the buffer length. If the string will not fit in the buffer, an error condition occurs. Otherwise, the string is returned in the buffer following the length byte. The length byte will be modified to reflect the actual length of the string. This utility is called with a BLWP @STRREF.

4.3 Extended Utilities

Utilities built into the RDM of the 99/4 console and the RDMs in Extended BASIC may be accessed as follows:

BLWP @XMLLNK DATA <routine-name>

Some routine names will BL through the XML tables in Extended BASIC While others will call various console ROM routines. Routine names are defined in the EQUS macro and are li

ed below.

FAED Floating point add.
FSUB Floating point subtract.
FMUL Floating point multiply.
FDIV Floating point divide.
SAED Floating point stack add.
SSUB Floating point stack subtract.

Texas Instruments 4-3

SMUL Floating point stack multiply.

SDIV Floating point stack divide.

CSN Convert string to number.

CFI Convert floating point to integer.

FCOMP Floating point compare.

COMPCT Perform garbage collection.

GETSTR Allocate space from string space.

MEMCHK Allocate memory for PAB.

VPUSH Push a value on the floating point stack.

ASEGNV Assign value to variable.

CNS Convert number to ASCII string.

VPOP Pop a value from the stack.

CIF Convert integer to floating point.

SCROLL Scroll the screen.

VGWITE Transfer VDP memory to expansion RAM.

GVWITE Transfer expansion RAM to VDP memory.

<u>Keyboard Scan</u>. The equivalent of a GPL scan instruction can be done by a BLWP @KSCAN. The GPL status bit may be tested on return with a compare ones corresponding (CDC) instruction. The GPL status register is in location >8307.

	1	н	1	GT	/COND	/CARRY/	OVF	1	Q	1	0	/	0	/
														-
bit		7		6	5	4	З		2		1		0	

Bit 5 will be set if a key was found pressed, and it was different from the key found pressed on the last call to KSCAN. The program must select keyboard device by placing a byte in location >8374. The meaning of this byte is the same as the keyunit in the CALL KEY subprogram. You may read the ASCII value of the key pressed from location >8375. Joystick Y and X positions are in locations >8376 and >8377, respectively.

Texas Instruments

4-4

<u>Error Reporting</u>. The assembly language program may report any existing Extended BASIC error or warning message upon returning to BASIC. This is done with the error reporting utility. The program must load RC with the appropriate error code and then SLWP GERR. The definitions of the error codes may be included in the standard macro file, described in a then next section.

Texas Instruments

4-5

.

#### Macros

Assembler macros are provided to make programming in the TI 99/4 environment easier. The macros are used in a 9900 assembly with a COPY of the file given in Appendix A.

#### 5.1 EQUS

This EQUS macro is used to define global equates for the ALC subprogram. Included is the definition of a workspace and equates for the various hardware resources. Equates for the addresses of the utility branch table entries are also provided.

#### 5.2 EQUDEB

This macro is similar to EQUS, but contains the addresses appropriate for use from a debugger station. The addresses of routines in console ROM are different, since extra code has been included there to support breakpoints.

## 5.3 ERREQU

This macro provides equates for all the various Extended BASIC error and warning messages.

#### 5.4 DEFS

The DEFS macro is used when several ALC routines will be linked together to form one ALC subprogram. This macro causes the definitions in the EQUS macro to be global during the link edit.

Texas Instruments

5-1

.

## 5.5 REFS

The REFS macro is used when several ALC routines will be linked together to form one ALC subprogram. This macro allows a routine to reference the equates defined in the DEFS macro.

## 5.6 ENTRY

The ENTRY macro is written as ENTRY label where label is the entry point name of the routine. This macro defines the entry point with the specified, defines a workspace for the subprogram, and loads that workspace.

## 5.7 RETURN

The RETURN macro is used to return from the ALC subprogram to SASIC. This macro requires that the program contain the one byte value DEO at the label "C2O". This value is used to reset the GPL condition bit before returning to BASIC. If this is not done, false error reporting can occur.

#### 5.8 VDPADR

This macro loads the VDP address with the specified workspace register.

#### 5.9 VDPWD

The VDPWD macro is used to write one byte of data from the most significant byte of a register. Two VDPWD macros cannot be used without other code between them or the accesses will be too fast for the VDP.

#### 5,10 VDPRD

The VDPRD macro is used to read one byte of data from the VDF into the most significant byte of a register. Two VDPRD macros cannot be used without other code between them or the accesses will be too fast for the VDP.

Texas Instruments 5-2 PRELIMINARY

5.11 CALL Extended Utilities

A macro is provided to call utilities built into the ROM of the 99/4 console and the ROMs in Extended BASIC. The syntax and code generated are:

CALL <routine-name>

BLWP @XMLENK DATA <routine-name>

#### 5.12 SCAN

The SCAN macro scans the 99/4 keyboard. The protocol is identical to the GPL SCAN instruction. The GPL status bit may be tested on return with a compare ones corresponding (COC) instruction.

#### 5.13 SOUND

The SOUND macro can be used to set up for the execution of auto-sound. The sound list, as described in the "GPL Programmer's Guide", must be placed somewhere in VDP RAM. The VDP RAM address must be on a word boundary, i.e. an even value, and must be in the register used in the macro. In addition the use of this macro requires that the program contain the one byte value DO1 at the label "CO1". This code does not actually start the auto-sound. It simply initializes all the necessary memory locations. Auto-sound is driven by the VDP interrupt, therefore, the sound list will not begin executing until the interrupt is turned on.

#### 5.14 ERROR

The ERROR may be used to report errors and warnings. If it becomes necessary for an ALC program to return to BASIC with an error condition, the program may use the following macro in place of the normal return.

ERROR <symbol or value>

Texas Instruments

5-3

#### Development

The assembly language support will be developed using the GPL debugger hardware. This causes some difficulties since the debugger preempts RAM expansion at address >2000->3FFF. That space is used by code and RAM memory for debug purposes. To avoid this problem the ALC support will be developed using RAM at >E000->FFFF. To achieve this Extended BASIC will be patched (in GROM) to only use 15K of the 24K RAM block. Then BASIC will use >A000->DFFF for program and data storage and >E000->FFFF for ALC support. Reassembly for EGROM will change the appropriate equates to use the correct address. The debugger EPROMS will be changed so that the XML table at >2000 will be moved to >E000.

Breakpoint capability for assembly language is being added to the debugger to support testing the ALC support and for use during ALC development.

Any ALC code developed on the debugger will run at a different address than in the real machine due the reasons mentioned above. For relocatable code (the recommended way) this should be transparent when the code is written.

# Notes

## 7.1 PEEK and POKE

-

The LOAD statement supports the equivalent of a POKE function (direct memory load). The values PEEKed or POKEed are one byte values in the range O to 255. Larger values are put in this range (i.e. 256=0, 257=1...), provided they do not exceed the range 32767 to -32768. If the address for PEEK or POKE, or the data for POKE is a floating point value than it is rounded.

•

Texas Instruments

7-1

# Errors

No new error messages were added for INIT, LOAD, or LINK. All of the error messages issued are from Extended Basic. This section lists the causes of errors for INIT, LOAD, and LINK that are unique to assembly language support.

8.1 INIT

1. Syntax Error

a. Expansion Ram not present

#### 9.2 LOAD

- 1. Syntax Error
  - a. INIT has not been called
- 2. Numeric Overflow
  - a. Address of POKE out of range +32767 to -32768
  - b. Data not in range 32767 to -32768
- 3. Unrecognized Character
  - a. Invalid tag field

## 4. Data Error

- a. Check Sum error when reading file
- 5. Memory Full
  - a. Not enough memory to load relocatable code into

Texas Instruments 8-1 PRELIMINARY

ERAM.

b. Not enough memory for entry table.

4. I/O Errors

a. #02 - File not found or is not a data file.

b. #25 - File is not Sequential, Display, Fixed 80.

8.3 LINK

1. Syntax Error

a. INIT has not been called.

2. Subprogram Not Found

a. Entry name in call to LINK not found.

3. Bad Argument

a. First paramater is not a string or is null.

b. First parameter is greater than 6 characters.

c. More than 16 parameters.

8.4 PEEK

1. Syntax Error

a. Constant in parameter list, other than as the address.

2. String Number Mismatch

a. String argument in parameter list.

3. Numeric Overflow

a. Address is out of range

Texas Instruments 8-2

32767 to -32768.

- 8.5 NUMASC, STRASC, NUMREF, STRREF
  - 1. String Number Mismatch
    - a. Requested argument is not the proper type (string vs. numeric).
  - 2. Bad Argument
    - a. Attempt to do an assignment to an expression instead of a variable.
    - b. Array element number (RO) is non-zero value when doing an assignment or reference with a simple, i.e. non-array, argument.
    - c. Argument number (R1) is zero.
    - d. Argument number (R1) exceeds number of arguments.
  - 3. Bad Subscript
    - a. Array element number (RO) is zero when OPTION BASE is 1.
    - b. Array element number (RO) exceeds number of array elements.
    - c. Bad dimension information found in symbol table.
  - 4. String Truncated
    - a. In using STRREF, the referenced string exceeds the length of the provided buffer.

Texas Instruments

.

8-3

# APPENDIX A

-

# Macro Definition File

This appendix lists the text of the file that should be included in an assembly language program (using the COPY directive) to define the macros discussed in an earlier section.

# Texas Instruments

.

A-1

÷ MACROS FOR ALC SUPPORT -\*-\* EQUDEB \$MACRO EQU 1 ON OFE EQU O DEBUG EQU ON VDPWA EQU >8002 EQU >8000 VDEND VDPRD EQU >8800 VDPSTA EQU >8802 EQU >834A FAC SUBWS BSS 32 GPLWS EQU >83E0 -+ utility branches ÷ ð. NUMASG EGU DECOB NUMREF EQU DEOOC STRASG EQU DE010 STRREF EQU DE014 XMLLNK EQU DE018 KSCAN EQU DE010 EQU DE020 VSEW EQU DE024 VMEW VSER EQU DE028 EQU DE020 VMER VWTR EQU DE030 >E034 EQU ERR >ODE4 EQU FADD EQU DODEO FSUB EQU >OEEC FMUL EQU >1058 FDIV EQU >ODE8 EQU >ODD8 SADD SSUB EQU DOEFO SMUL EQU >105C SDIV CSN EQU >1212 EQU >131C CFI FCOMP EQU DOD9E NEXT EQU DOOBE COMPCT EQU >00 GETSTR EQU 202 MEMCHK EQU >04 >06 CNS EGU VPUSH EQU >OE EQU >10 VEDE ASSGNV EQU >18 EQU >20 CIF SCROLL EQU >26

Texas Instruments

VGWITE GVWITE	EQU EQU \$END	>34 >36
EQUS ON OFF DEBUG VDPWA VDPWD VDPRD VDPRD VDPSTA FAC SUBWS GPLWS *	SMACF EQU EQU EQU EQU EQU EQU EQU EQU EQU EQU	1 0 DFF >8C02 >8C00 >8800 >8802 >834A 32 >93E0
* * NUMAEG	EQU EQU	>2008
STRASG STRREF		>2010 >2014 >2018
KSCAN VSBW VMBW	EQU EQU EQU	>2010 >2010 >2020
VSBR VMBR VWTR		>2028 >2020 >2020
ERR FADD FSUB	EQU EQU EQU	>2034 >0D80 >0D7C
FMUL FDIV SADD	EQU EQU	>0E88 >0FF4 >0D84
SEUB Smul Sdiv	EQU EQU EQU	>0D74 >0E8C >0FF8
CSN CFI FCOMP		>12B8 >0D3A >0070
COMPCT GETSTR MEMCHK		>00 >02 >04
CNS VPUSH VPOP	EQU EQU EQU	>06 >0E >10
ASSGNV	EQU	>18 >20

Texas Instruments

SCROLL EQU >24 VGWITE EQU >34 GVWITE EQU 336 \$END ERREGU \$MACRO -\*-ERROR EQUATES -¥--3 EREND EQU DO200 2 З ERRSYN EQU >0300 ERRIBS EQU >0400 ERRNGS EQU >0500 ERRNTL EQU >0600 7 ERRENM EQU >0700 ERROBE EQU >0800 ERRMUV EQU >0900 ERRIM EQU >0A00 ERRMEM EQU >0800 11 12 ERRSO EQU >0000 13 ERRNWF EQU DODOO ERRENN EQU >0E00 14 ERRENS EQU DOFOO 15 ERRREC EQU >1000 16 17 ERRMS EQU 21100 ERRRWG EQU >1200 18 ERRST EQU >1300 19 ERRBS EQU >1400 20 ERREEL EQU >1500 21 22 ERRENE EQU D1600 23 ERRBEN EQU >1700 ERRLTL EQU >1800 ERRCC EQU >1900 ERRCIP EQU >1400 25 27 ERROLP EQU >1800 ERRBA EQU >1000 29 ERRNPP EQU >1000 ERREV EQU >1E00 30 ERRIAL EQU D1F00 31 32 ERRINP EQU >2000 ERRDAT EQU >2100 ERRFE EQU >2200 ERRID EQU >2400 ERRSNF EQU >2500 37 39 ERRPV EQU >2700 ERRIVN EQU >2800 41 WENNO EQU >2900 WRNST EQU >2400 WRNNPP EQU >2800 WRNINP EQU >2000 WRNID EQU >2000

Numeric Overflow Suntax Error 4 Illegal after subprogram 5 Unmatched quotes 6 Name too long String-num mismatch 8 Option base error 9 Improperly used name 10 Image error Memory full Stack overflow Next without for For next nesting Must be in subprogram Recursive subprogram call Missing subend Return without gosub String truncated Bad subscript Speech string too long Line not found Bad line number 24 Line too long 25 Can t continue Command illegal in program Only legal in a program 28 Bad argument No program present Bad value Incorrect argument list Input error 33 Data error 34 File error 36 I/O error Subprogram not found Protection violation 40 Unrecognized character Numeric overflow 42 String truncated 43 No program present 44 Input error 45 I/O error

Texas Instruments

A-4

WRNLNF	EQU \$END	>2E00	46	Line	not	found	
* DEFS	SMACE DEF DEF DEF DEF DEF DEF SEND	RO VDPWA, VDPWD, V NUMASG, NUMREI VSBW, VMBW, VSI FSUB, FMUL, FD CFI, FCOMP, NEI ASEGNV, CNS, VI	VDPRD, F, STR, BR, VMI IV, SAI XT, COM POP, CI	VDPS ASG, S 3R, VW DD, SSU APCT, G IF, SCF	TA, FA TRREF TR, ER JB, SM GETST ROLL,	AC, SUBWS, 7 XMLLNK, 10, FADD 10L, SDIV, 7, MEMCHK VGWITE, G	GPLWS KSCAN CSN , VPUSH WWITE
REFS	\$MACF REF REF REF REF REF REF REF \$€ND	O VDPWA, VDPWD, V NUMASG, NUMREI VSBW, VMBW, VSI FSUB, FMUL, FD CFI, FCOMP, NEI ASSGNV, CNS, VI	VDPRD, F, STR, BR, VMI IV, SAI XT, COM POP, CI	VDPS1 ASG, S1 BR, VW1 DD, SSU 1PCT, G IF, SCF	TA, FA TRREF TR, ER JB, SM JB,	IC, SUBWS, 7, XMLLNK, 10, FADD 10L, SDIV, 10, MEMCHK VGWITE, G	GPLWS KSCAN CSN , VPUSH VWITE
* ENTRY	\$MACF	RO P1					
: P1:	LWP I \$END	SUBWS					
* RETURN	\$MACF SZCB LWPI B \$END	0 0020,0>8370 GPLNS CNEXT					
* VDPADR	\$MACF SWPB MOVB SWPB MOVB \$END	0 P1 : P1 : P1: , @VDPWA : P1 : P1: , @VDPWA					
* Vdpwd	\$MACF MOVB \$END	RO P1 :P1:,@VDPWD				·	
* VDPRD	\$MACF MOVB \$END	RO P1 @VDPRD,:P1					
* CALL	\$MACR BLWP DATA	10 P1 @XMLLNK : P1					

Texas Instruments

A-5

\$END

... SCAN

SCAN	\$MACRD
	BLWP @KSCAN
	≸END
*	
SOUND	\$MACRO P1
	MOV : P1:, @>83CC
	SOCB @CO1,@>83FD
	MOVB @CO1, @>83CE
	\$END
*	
ERROR	\$MACRO P1
	LI RO, P1
	BLWP CERR

SEND

.

.

PRELIMINARY

,